

POLICE

HEADQUARTERS



J&K,

SRINAGAR

Phone/FaxNo: 0194-2443031/ 2443032 (Sgr)

0191-2459029/2459255(Jmu){Provision Section}

Website:www.jkpolice.gov.in

Email:phqjk@jkpolice.gov.in

NIT NO; 39 of 2017

Dated; 07 .10.2017

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from Original Manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of **Security Equipment**, as indicated in the detailed SBD & BOQ. The download of NIT shall start on 07.10.2017 at 1300 hours. Tenders shall be submitted online on J&K State e-procurement Portal www.jktenders.gov.in before 10.11.2017 upto 1700 hours.

The tenders (technical bids only) will be opened online on 12.11.2017 at 1100 hours at Police Headquarters, J&K Gandhi Nagar Jammu. Pre bid Meeting will be held at PHQ J&K Peerbagh Srinagar on 20.10.2017. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal www.jktenders.gov.in.

(Sheikh Junaid Mahmood)

AIG (Provision/Transport)

For Director General of Police,

J&K Srinagar.

No. Prov-II/Sec-73/2017-1871950-70 Dated: 06/07/17 .10.2017

Copy to the:-

1. Principal Secretary to Govt. Home Department J&K Srinagar for favour of information.
2. All IsGP J&K Police for information.
3. Director Information J&K Srinagar. He will arrange publication of Gist of the NIT in leading National Dailies and in leading Newspaper of J&K/Tender Journals etc. for wide publicity. The payment for publication in National Dailies shall be made by the PHQ against bills.
4. Director Industries Srinagar/Jammu for information
5. Manager Government Press Srinagar/Jammu for publication in Govt Gazette.
6. SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Gandhi Marg New Delhi 110001 for information.
7. AIG (Communication) PHQ for publication purpose. He will personally liaise with Directorate of Information for publication of the NIT/Gist immediately and make available concerned Newspaper to AIG (Prov/Tpt) PHQ J&K.
8. In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar.
9. SO (E-Tendering) PHQ, J&K, Srinagar.
10. In-Charge IT Centre PHQ for posting the NIT on the website of J&K Police.

For Director General of Police,
J&K Srinagar.

06/07/17

POLICE HEADQUARTERS

Phone/FaxNo: 0194-2443031/ 2443032 (Sgr)
0191-2459029/2459255(Jmu) {Provision Section}

**J&K, SRINAGAR**

Website:www.jkpolice.gov.in
Email:phqjk@nic.in

NIT NO. of 2017

Dated; .10.2017

1.	For and on behalf of the Governor J&K State, online tenders (e-tenders) are invited from original manufacturers or their authorized dealers, for the supply of Security Equipment as specified in Annexure "A" of the NIT. Approved/authorized dealers will attach valid & authenticated copy of authorization of original manufacturer(s), without which tender shall be liable to be rejected.	
2.	The NIT Consisting of Complete information, eligibility criteria, specification, Bill of quantities, (B.O.Q), Set of terms and conditions of contract and other details can be seen/ downloaded from J&K State e-Procurement Portal www.jktenders.gov.in from 07.10.2017 from 1300 Hrs and last date of online submission is 10.11.2017 (1700 hours).	
3.	Time/date and place for online opening of tenders.	12.11.2017 at 1100 hours at J&K Police Headquarters, Gandhi Nagar Jammu.
	Validity of tender offer	240 days from the last date of submission of tenders
	Pre bid meeting	20.10.2017 at 1500 hours at Police Headquarters, Airport Road, Peerbagh Srinagar.
4.	The intending bidders will have to attend Pre-bid meeting to be held at Police Headquarters Gandhi Nagar Jammu on 20.10.2017. Bidders shall submit their queries etc at-least 02 days in advance before Pre bid conference. In the Pre bid conference they will be given full opportunity to put their view point regarding specifications etc mentioned in the e-NIT. However, any query etc raised by any bidder after Pre-bid conference will not be entertained.	
5.	<p>SAMPLES WHEREVER ASKED SHALL BE AS UNDER:</p> <p>I. The tenderers shall ensure that samples submitted by them fully conform all the parameters of the NIT specifications.</p> <p>II. Offers without sample (wherever asked) after stipulated date and time for receipt of the tenders/samples shall not be accepted.</p> <p>III. All samples should have a card affixed to it duly signed and stamped by the firm indicating (a) name of the firm (b) tender No. (c) Date of opening of tender and (d) name of the item, make and model (wherever applicable).</p> <p>IV. Sample shall be without any kind of marking/sign/symbol/blot/scratch/stain. Samples not conforming to this clause shall be rejected.</p> <p>Samples of rejected offers shall be collected by their authorized representatives on requisition made on letter head of the firm, duly stamped, signed and attested by the tenderer. In case samples are not collected within the period of rate validity of this tender, the sample will be disposed off</p>	

	without any cost/liability to J&K Police.
6.	All tender documents attached with this invitation to tender including the specifications are SACROSANCT for considering any offer as complete offer. It is important that scanned copy of each page of the tender document duly completed, page numbered and signed is uploaded with your offer in a sequential manner and not haphazardly.
7.	The tender fee has been fixed for SSI units of J&K State only Rs. 100/- and all other vendors have to pay Rs. 2000/- as tender fee in the shape of a crossed demand draft favouring Chief Accounts Officer PHQ J&K payable at Jammu. The tender fee is not refundable and same will be deposited into Govt Treasury under head 0055-Police for the year 2016-17. The scanned copy of the demand draft should be part of the online bid. The original demand draft should be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Gandhi Nagar Jammu alongwith covering letter in an envelope which should have a card affixed to it duly signed and stamped by the firm indicating (a) name of the firm (b) tender No. (c) Date of opening of the technical bids. The local SSI units of J&K State are required to pay the tender fee prescribed as per J&K Govt. rules. However, the Govt/ Semi Govt. concerns of the J&K State claiming exemption shall append copies of the authenticated orders, existence/ registration certificates etc. with regards to the SSI units issued by the competent authority in support of their claim. Tenders without stipulated tender fee shall be rejected.
8.	<p>Earnest Money Deposit (EMD)</p> <p>The intending tenderers will have to send the Earnest Money only in shape of CDR/FDR from any nationalized bank/State owned Banks for an amount of Rs 5000/- for J&K state SSI Unit holders only and for other tenderers Rs.200000/- pledged to AIG (Prov/Tpt) PHQ J&K with the tender offer, which shall be valid for one year. The EMD in case of unsuccessful tenderer shall be released after finalization of Tender, whereas, in case of successful tenderers it will be adjusted towards security money (required to be deposited) on application, for due performance of the agreed contract/performance during warranty period. No interest shall be payable by the purchaser on the EMD deposited by the tenderer. The Scanned copy of the CDR/FDR should be part of Online Bid and the original be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Gandhi Nagar Jammu alongwith tender fee before the opening of technical Bid. J&K Govt. rules with regard to furnishing of EMD in respect of local Registered SSI units of J&K State shall be applicable in letter and spirit. The local SSI units are required to pay EMD prescribed as per J&K Govt rules. For the purpose, SSI units shall have to furnish Registration Certificate INDICATING THEREIN THE DETAILS OF ITEMS AND INSTALLED CAPACITY OF THE UNIT PER MONTH and Functional Certificate of SSI Unit, issued by the competent authority, with their tender offer failing which the benefits of SSI units will not be allowed. The Government/ Semi Govt. or similar other concerns of J&K state, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims.</p>

Tenders without EMD shall be rejected.

9.	I)Stores required at	FREE DELIVERY AT CONSIGNEE LOCATIONS i.e, (Police Central Store Zewan Srinagar and Police Central Store Gulshan Grounds Gandhi Nagar Jammu. Tenderers are required to quote rates on free delivery at consignee's location basis only. Tenders received quoting rates on FOR Destination Stations/Station of Despatch basis shall be rejected.
	iii) Delivery period	Approximately within 45 days from the date of issue of Acceptance of Tender or as stated in the supply order.
	iv) Inspection	The department is at liberty to conduct testing/inspection of stores during any stage of manufacturing. Tenders should disclose the name and full address (along with telephone/fax no. of the place where the stores will be manufactured and will be available for inspection.
	v) Inspection authority / place of survey	Board of officers, duly constituted by the J&K Police Hqrs, at consignee's premises.
	vi) Packing and Marking	As per clause 29 of this tender
	vii)Payment terms	Payment shall be released by the department against each consignment delivered, inspected, accepted and properly brought on the stocks in the concerned stock registers of the Department. Remittance charges (Bank Commission) on payment made to the firms will be borne by the supplier/s. The preferred mode of payment will be through RTGS, for which the approved supplier shall have to furnish the Bank/RTGS code details. If approved supplier backs out or fails to supply the goods against supply order within stipulated delivery period ,the department will be at liberty to procure the item from L-2 firm and differential amount between L-1 & L-2 rates will be deducted from the security deposit furnished by the approved supplier and remaining security deposit will be forfeited besides invoking other remedies which shall include black-listing of the firm. If approved supplier supplies the goods partially against supply order within stipulated delivery period, the J&K Police reserve the right to impose liquidity damage charges upto 5% of the un-supplied store upto first 15 days and thereafter penalty can be increased depending upon the nature of supplies and extent of delay. However, period of delivery

	may be extended at the absolute discretion of J&K Police provided delay is attributable to the reasons beyond the control of the supplier firm but not attributable to business transactions and also delay is communicated in writing justifying the cause of delay.																		
10.	On due date of opening of tenders i.e. 12.11.2017 at 1100 hours, technical bids only shall be opened and the Technical evaluation Process will start.																		
11.	Rates quoted by the firm(s) should be on firm price basis.																		
12.	Firms shall clearly indicate different taxes, duties, charges which they propose to charge as per the format of Bill of quantity (BOQ) available with the e-tender, moreover online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detailed financial comparative (BOQ Chart) shall be worked out by the department and information can be uploaded on the website for general information of all the Tenderer.																		
13.	<p>TWO BID SYSTEM :- All bidders are required to submit their offers in two covers online as under:- FIRST COVER (Technical Bid) is to be uploaded Online and Scanned Copies in PDF format should contain the following documents:-</p> <table border="1"> <tr> <td>i.</td> <td>The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.</td> </tr> <tr> <td>ii.</td> <td>Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.</td> </tr> <tr> <td>iii.</td> <td>Scan copy of the Earnest money.</td> </tr> <tr> <td>iv.</td> <td>Scan copy of Tender Fee.</td> </tr> <tr> <td>v.</td> <td>Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.</td> </tr> <tr> <td>vi.</td> <td>Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from any ambiguity.</td> </tr> <tr> <td>vii.</td> <td>Test report of each sample (wherever asked) shall be completed in all respects</td> </tr> <tr> <td>viii.</td> <td>Sample tested shall bear the seal of the testing laboratory prominently.</td> </tr> <tr> <td>ix.</td> <td>Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.</td> </tr> </table>	i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.	ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.	iii.	Scan copy of the Earnest money.	iv.	Scan copy of Tender Fee.	v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.	vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from any ambiguity.	vii.	Test report of each sample (wherever asked) shall be completed in all respects	viii.	Sample tested shall bear the seal of the testing laboratory prominently.	ix.	Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.
i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.																		
ii.	Tender documents (viz technical compliance, brochures/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.																		
iii.	Scan copy of the Earnest money.																		
iv.	Scan copy of Tender Fee.																		
v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.																		
vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration),signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from any ambiguity.																		
vii.	Test report of each sample (wherever asked) shall be completed in all respects																		
viii.	Sample tested shall bear the seal of the testing laboratory prominently.																		
ix.	Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.																		


x.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.
xi.	Authorised dealer having authorisation to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item.
xii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items should be duly ticked.
xiii.	Performance statement /turn over for last two years as APPENDIX-III of this NIT.
xiv.	Acceptance of Warranty/guarantee of the items.
xv.	Acceptance regarding delivery within the stipulated delivery schedule.
xvi.	PAN no/VAT/TIN No. Self attested photocopies thereof be appended.
xvii.	Check list for tenders as per APPENDIX-III of this NIT.
xviii.	Any other relevant document which the firms may wish to submit
14.	<p>SECOND COVER (Commercial/Price Bid) should contain the following:-</p> <p>i. Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted</p> <p>ii. Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.</p> <p>iii. The rates of AMC inclusive of Taxes (applicable after completion of warranty period) shall also be quoted separately.</p>
15.	<p>Security Deposit : The approved tenderers will have to supply the articles as per approved rate, approved sample and specification till the validity of the contract. They will have to furnish security deposit @ 5% of the total value of the items contracted for and for DGS&D Rate Contract based supplies the security deposit will be 2%, in the shape of CDR/FDR issued by a Nationalized/Scheduled Bank, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be</p>

	paid by the purchaser on the Security deposit). J&K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable.
16.	<p>Guarantee/Warranty</p> <p>Except as otherwise provided in the invitation to the tender, the contractor hereby declares that the goods, stores, articles sold/supplied to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/ mentioned in the contract. The contractor hereby guarantees that supplied goods/stores/articles would continue to conform to the specifications and quality for a period of 24 months, from the date of acceptance of supplies by the purchaser. If during this , supplied stores/goods/articles be discovered not to conforming to the specifications and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify/replace the goods/stores/articles or such portion thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods/articles/stores rectified/replaced from the date of rectification/replacement thereof. In case of failure of the contractor to rectify or replace with the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores by the available means.</p>
17.	<p>Liquidity Damages</p> <p>Successful tenderer shall have to make the supplies within stipulated period as would be mentioned in the supply order. J&K Police reserves the right to impose liquidity damages of 5% of the cost of unsupplied stores which shall depend upon the nature of supplies and extent of delay. However, period of delivery may be extended, at absolute discretion of J&K Police provided the delay is attributable to reasons beyond the control of the supplier but not attributable to business transactions and provided delay is communicated in writing justifying the cause of delay.</p>
18.	Conditional tender will not be accepted / entertained. It will be summarily rejected. No other conditions than those mentioned (in the terms set-forth) will be entertained.
19.	Purchaser reserves the right to get the manufacturing capacity of all the firms re-verified irrespective of the registration status or any other document/ information.
20.	Purchaser reserves the right to cancel/reject or scrap the tender, with no consequential liability.
21.	The supplies delivered by the successful tenderer shall be surveyed and verified by the J&K Police at Police Central Stores Jammu/Srinagar, as the case may be.
22.	The PHQ shall have the discretion to send any number of samples from the received supplies from successful bidder for testing to one or more CFSL or NABL/BIS accredited Labs to check its conformity with the approved sample/specifications quoted in the NIT/supply order. In case of variation, the supply will be rejected at the cost and consequences of supplier.

23.	As soon as the acceptance of the tender is communicated to the successful tenderers online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof is communicated/posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of the J&K under the law for the time being in force in the State of J&K;
24.	The successful tenderer(s) shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.
25.	The tenderer is required to furnish an authenticated copy of GST/Sales Tax/VAT clearance certificates (alongwith the tender offer or at the time of payments) for the year 2016-17 or a year earlier. The PHQ shall be at liberty to put to scrutiny, verification etc. the GST/Sales tax /VAT clearance so furnished by the successful tenderer.
26.	The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specifications shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated in the tender or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender offer.
27.	After the registration/placement of orders/execution of the agreement and formally depositing the security money, in case the tenderer backs out or fails to supply the goods, the security deposited will be forfeited besides any other penal provisions, the department may decide as per norms.
28.	The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract shall be recovered from the defaulter, besides other penal provisions as the department may decide;
29.	Delivery of Goods Goods shall be delivered (as per instructions in supply order) at Police Central Store, Gulshan Ground, Gandhi Nagar, Jammu and Police Central Store, Zewan, Srinagar as the case may be duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;
30.	If the successful tenderer fails to supply the goods of the prescribed specification or fails to deliver the goods within stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by re-tendering or otherwise at the risk and cost of the tenderer. The department shall be lawfully entitled to forfeit the amount of

	the EMD/security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available with the department, under law.
31.	Either the original manufacturer or his authorized dealer can participate for a particular item or sample(s) only. Tender offers where both original manufacturer and his authorized dealer participate for the same items shall be rejected.
32.	If at any stage of the tender process two or more bidders are found in collusion between /among themselves with the intent to reduce competition, set price, share technical expertise ,share business information/decision ,control/share production and or distribution of products and raise prices ,all such tenders shall be out rightly rejected.
33.	If at any stage of tender process any bidder/s is/are found influencing any Government Servant associated with or handling the tender process and supplies thereof, bid of such tenderer/s shall be rejected besides invoking any other provision available under rules.
34.	All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Srinagar and Jammu and not elsewhere;
35.	It shall be incumbent upon the supplier to provide entire supply, in conformity with the approved sample, strictly as per the specifications provided in the NIT/supply order. Supplies found deficient in quality /quantity viz-a-viz supply order shall be rejected. Penalty/damages would be imposed and recovered from the bidder as per terms and conditions indicated in the supply order.
36.	The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved sample & specifications they shall be rejected and at our absolute discretion, rejected stores may be allowed to be made good by way of replacement. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected articles shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the purchaser.
37.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies and hence above shall not be construed as all inclusive.
38.	Bidders submitting their bids on-line shall only be accepted and manual bids shall be rejected and no document other than mentioned in the NIT shall be accepted manually.
39.	PHQ may call any bidder at any stage of the tender process for seeking any clarification.
40.	Queries /representations on tender enquiry should be received upto pre-bid conference or within 10 days from the date of publication of this tender enquiry (whichever is earlier) would be entertained .All queries/representations received after pre bid conference would not be

	entertained.
41.	The bidder should furnish an undertaking APPENDIX-II of this NIT stating that he /she is not connected in any manner with any other bidder in this tender with respect to manufacturing ,distribution, supply, in sharing business information/documents price of the item etc. for the items quoted in this bid. If this is found to be incorrect, his/her tender would be rejected.
42.	The interested bidders should indicate the AMC cost, year wise beyond the period of comprehensive warranty in absolute terms i,e total amount, all inclusive, break up of applicable taxes to be given. Moreover in case of imported equipment or major components thereof if imported, the bidder must furnish a copy of 'Certificate of Import' together with a certificate from Principal Manufacturer of such equipment, components that the product's performance as stated above is tested in accredited lab and guaranteed with full support for service, maintenance etc be provided for at-least 05 years.
43.	If required, the short listed tenderers will have to arrange for the Ballistic/Technical or field/Practical demonstration of the Equipment/s at their own cost at the place and date to be fixed by the Authority. The shortlisted firms will be required to provide sample(s) for conducting practical demonstration or ballistic testing. The bids of such short listed bidders, who do not arrange / participate in the demonstration even after being asked by the purchaser or will not deposit required number of samples shall be liable for rejection.
44.	Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement;
45.	The supplier shall not sublet the contract or any part thereof to any other agency without the concurrence of PHQ J&K.
46.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for one or the other reason.
47.	The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal www.jktenders.gov.in . In case of any clarification, please contact Telephone Numbers 0194-2443031, 0191-2459029 (F), 0194-2443032, 0191-2459255 e-mail; phqjk@jkpolice.gov.in


 (Sheikh Junaid Mahmood)
 AIG Provision/Tpt,
 For Director General of Police,
 J&K-Srinagar.

07/10/17

APPENDIX-1
FORMAT OF MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE

To,

The Director General of Police,
J&K, Jammu/Srinagar.

Subject;- _____

Sir,

Please refer to your tender enquiry (NIT No. _____ Dated _____.

1. We _____ who are proven and reputable Manufacturers/dealers of _____ (name and description of the goods offered in the tender) having factories at _____ hereby authorize M/s _____ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufactured by us.
2. We further confirm that no supplier or firm or individual other than M/s _____ (name and address of the above agent/dealer) is authorized to submit a tender, process the same and enter into contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufacture by us.
3. We also hereby extend our full warranty, CMS/AMC support as per the conditions of contract, read with modifications, if any, in the special conditions of contract for the goods and services offered for supply by the above firm against this TE document.

Yours faithfully,

Signature with date, name and designation
For and on behalf of M/s _____
(Name and address of the Manufacturer)

Note;-

1. This letter should be on the letter head of the **manufacturing firm** and should be signed by the person who is competent having the power of attorney.
2. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER

APPENDIX-II

Reference e.NIT No. _____ of 2017 dated _____ .10.2017.

To,
The Director General of Police
J&K, Jammu/Srinagar.

Sir,

1. I _____ hereby state that I am not connected in any manner with any other bidder in this tender with respect to manufacturing distribution, supply, in sharing business information/documents and price of the items etc. quoted in this bid.
2. I further state that if this is found to be incorrect, the police department is at liberty to reject my tender.

Yours faithfully,

Signature with date, name and designation

For and on behalf of M/s _____

(Name and address of the Tenderer)

Note:-

- a. This undertaking should be on the letter head of Tenderer and should be signed in person by the tenderer.
- b. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER.

APPENDIX-III

Performance statement for last two years

Name of the firm	
Description of stores	
Quantity on order	
Value	
Original D.P	
Quantity supplied within original D.P	
Final Ext D.P	
Last supply position.	
Reasons for delay in supplies (if any)	

Signature of Tenderer

APPENDIX-IV

General instruction/CHECK LIST FOR TENDERERS;

Before submission of tender documents, the renderers should check whether they have complied with the following requirements of otherwise;-

S. No.	Requirement to be checked before submission of tender	Complied (Please indicate YES or NO after complying with the requirement.
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload the same after ensuring accuracy	
2.	Whether tender fee scan copy is enclosed, with the technical bid?	
3.	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical bid?	
4.	If an SSI Unit, the same is indicated in the tender and scan copy of valid registration certificate with installed capacity per month is enclosed or not?	
5.	Whether monthly manufacturing and supplying capacity is mentioned in the tender document or not?	
6.	Whether scanned copy of copy of complete tender documents are up-loaded in the technical bid duly signed having official seal on all pages or not?	
7.	Whether tender documents are submitted in two bid system I.e. Technical and Financial Bids separately as per tender enquiry or not?	
8.	If called for in tender enquiry, whether tender sample conforming to the specifications has been deposited with Central Store Jammu/Srinagar (as provided in tender enquiry)?	
9.	Whether offer validity as required in tender enquiry is accepted and indicated in your tender document or not?	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and indicated in your tender document or not?	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed with the supporting technical documents/proof, Lab test etc for each point/parameter or not?	
13.	Whether compliance statement for last 2 years as required in tender enquiry in the format is enclosed or not. If not, reason thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
15.	Whether details of AMC condition after warranty period is included in the price bid	

	or not, if required in the tender enquiry?	
16.	<p>(a) Status of tenderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.</p> <p>(b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&D under compulsory enlistment scheme or not. Copy of valid DFS&D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?</p>	
17.	If called for in T.E whether free training about use of equipment after supply, is accepted or not.	
18.	Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?	
19.	The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).	
20.	Entry Tax/Octroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.	
21.	Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.	
22.	No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as "Nil".	

Annexure "A" of NIT No. of 2017 Dated .10.2017

Item - 1	Electric Boom Barrier	
1.	It should have anti-crash safety mechanism to suspend the motion of barrier when met with any obstruction.	
2.	Quick opening and closing of barrier with soft landing.	
3.	Speed of barrier should be programmable (upto 100%) while installing as per frequency of traffic.	
4.	Provision to integrate with other peripheral devices like Access Control system Beam sensors.	
5.	Should open manually in case of power failure.	
6.	a) Weight with boom	Upto 80 Kgs weight will change according to the boom length
	b) Boom Length	Upto 05 Mtrs
	c) Opening/Closing Time	Not more than 2-6 Seconds
	d) Power	230 ±10%VAC 50 Hz
	e) Drive	Electro Mechanical Drive
	24 VDC Operator with Microprocessor based Controller.	
7.	Safety device like beam sensor should be provided with the barrier.	
8.	Barrier should have clamping mechanism in open and closed position	
9.	Control system should be housed inside stain less steel pole stand casing.	
10.	It should have distinct visible marking/paint work. The barrier body should be treated 100 micron epoxy Zinc plating anti corrosion paint.	
11.	Warranty for two years.	
Item - 2	GROUND PENETRATING RADAR	
S.No	Parameter	Specification
1.	Features	The GPR system should be capable to detect metallic and non metallic threats like IEDs, pressure plates and mines (Anti-personnel and Anti Vehicle) etc. The system should provide GPR data in real time to the operator to detect investigate and mark IEDs or suspected objects.
2.	ATR & Alarm	Must contain automatic target recognition feature which will provide audio and visual clue to the operator.
3.	Self-test	The system should have self test feature to ensure the system operating properly.
4.	Physical	The system should be Hand Held GPR System
5.	Physical and Technical features	
	The Physical and Technical features of the Hand Held unit are.	
	a) Hand Held GPR System	(I) The system detection swath width should be 45 cms (minimum) and detection range 50cms (minimum) underground. (II) The sensor head should be attached to a ruggedized telescopic rod assembly suitable for a standing person to scan the area. (III) Control unit should have facility to control the sensitivity of the detection and audio volume.

		<p>(IV) The system should be able to display the threat indication or figure in real time.</p> <p>(V) It should give accurate threat position and depth information with a tolerance of ± 5cm.</p> <p>(VI) It should have uniform and continuous detection throughout the sensor swath width.</p> <p>(VII) It should have modes i.e. metal detection mode, GPR mode and combined mode.</p> <p>(VIII) It should have automatic soil compensation feature for use in mineral soil environment.</p> <p>(IX) It must detect all type of mines/IED in all soil conditions.</p> <p>(X) The audio alarm should be in built buzzer/speaker and head phone.</p> <p>(XI) The system should be operated on rechargeable battery. The battery should run the system for minimum 8 hours continuously on single charge.</p> <p>(XII) A suitable battery charger should be provided to charge the battery/batteries within 8 hours (maximum).The charger should have the provision to charge the battery from 90 to 250 volt AC mains supply.</p> <p>(XIII) The system should have data l storage capacity through external memory card of 16GB Capacity.</p>
6.	Transportation	A ruggedized transportation box with water proof canvas carrying case should be provided which accommodates the system with all accessories comfortably.
7.	EMI &EMC	The system must confirm to lay down EMI &EMC specifications.
8.	System Ruggedness	The system and its sub-system accessories must conform to the latest Mil STD.
9.	Warranty for two years .Service support and spares backup for 06 years after expiry of the basic warranty.	

Item - 3	FOLDABLE MULTIZONE DEMD FITTED WITH CAMERA
1.	Should be of latest technology.
2.	Number of Zones: 3 sensor zones with LED detection indicators.
3.	Should adjust all zones individually.
4.	Should detect Ferrous, non Ferrous, Ferrite and alloys in entire frame area, interception in all possible speeds pin pointed detection with identification at correct zone level without interference/false identification of adjacent zone. Should not give any detection fro out side.
5.	Should have audio Alarm adjustable.
6.	Should have automatic /manual calibration.
7.	False alarm rate less than 03 %
8.	Pin point detection with LEDs on both panels.
9.	Should be foldable Strong Impact, resistance, should be water proof and weather proof for out door location.
10.	Should not interfere with adjacent installed distance of one feet and should not be affected by opening/closing vicinity, external RF (electro magnetic interference)
11.	Traffic count 60 persons approx. per minute adjustable
12.	Power supply AC 90-220 Volt. battery back up not less than 10 hrs.

13.	Magnetic field should not be harmful to magnetic media, electronic devices (Wearer of heart pacemakers and pregnant women. Supported by test report from NABL/Government Laboratory)	
14.	<p>Camera with both the options to be provided</p> <p>Option-1:-Should have a CCTV camera inside the control unit of DFMD and having capability to work even at 0 Lux condition, 300 hrs rolling backup and independent display unit mounted on side of the DFMD for which software be provided by the OEM.</p> <p>Option-2:-Display may be taken on any desired laptop or on computer at a distance of upto 400 meters for which software is provided by the OEM. Multiple cameras can be viewed on a single 32 inch screen placed in the control room 400 mtr. Spool and 32 inch full HD screen to be provided by the vendor, however laptop/computer will not be in the scope of supply.</p>	
15.	Warranty for two years.	
Item - 4	RFID BASED VEHICLE ACCESS CONTROL SYSTEM	
1.	Frequency Range	The reader should have the Standard ISM 902-928 MHZ or ISM 865-868 MHZ.
2.	Operational mode	FISS
3.	RF Power	0-30 dBm, software adjustable.
4.	Reading speed	Software programmable, average reading per 64 Bits:<6ms
5.	Reading Mode	Timing of Trigger
6.	Data ports	Standard weignad 24/36 RS485,RS232,Software programmable
7.	Data input port	Trigger input one team, anti-collision and multi reading.
8.	Reading Range	Buzzer
9.	Reading clue	Built-in round polarization Antenna , Gain:7dbi
10.	Power Supply	DC+ 9v(Power Adaptor) DC +12
11.	Operation temperature	-20 c to 60 degree c
12.	Should have a complete and fully functional hardware infrastructure for access control software.	
13.	It should store complete access control and configuration database for up to 2 reader's interface.	
14.	It should report all activity to host reports supervised inputs/alarms with 255 priorities.	
15.	It should provide fully functional offline operation when not actively communicating	
16.	Housing Material	UL 94 polycarbonate.
17.	Audio/visual indicators	Power LED and communication LED
18.	Operational temperature	-10 to 50 degree c
19.	Communication ports	Ethernet(10/100)
20.	Should have provision of manual operation in case of emergency or power failure.	
RFID VEHICLE TAG		
1.	Should be Pre- encoded with an unique serial number(standard 26/32 bit format)	
	Should be compatible with long Range reader	
	Should be rugged tag design to make the tag tamper proof, once applied on an asset. Tag is specially designed to work on metal based assets laptops desktops	

	servers.
	Tag should not have a battery
	Operating temperature -28 to 60 degree c.
	READ DISTANCE
	Metalllic asset 1m- 1.5m
	Vehicle wind screen 10m- 12 m
	CHIP SPECIFICATIONS
	Integrated circuit EPC class 1 gen compliant
	Memory 240 bits
	Operating frequency 860-980 MHz
	COMPUTER SYSTEM (Desktop) for RFID
	It should be provided with latest configuration desktop of reputed company
	Software: Access control system compatible with controller.
2.	UPS 10 KVA Capacity 3 phase input and 3 phase out put with inbuilt isolation.
Item - 5	INTRUSION DETECTION SYSTEM WITH FENCING COMPONENT.
1.	Energizer System Should Comprise of dual zone energizers, power supply, internal 7 Ah battery backup, cutout switch, lightening diverter, earth spike for earthing pit, enclosure box with accessories like MCB. Switch board, and all other accessories as required
2.	Height Physical electric fence system of one meter height above wall top having 10 nos of multistrand & galvanized wires of minimum 1.6 mm thickness each, PC corner posts, PC stays with sleeve & lugs , PC intermediate posts at a distance of approx 3 mtr each fitted with anchor fastener, tensioners, sufficient nos of insulators, hooks etc. Insulators Should be made of virgin plastic material and UV stablized. The fence will be displayed with warning sign, earthing of fence etc as required. A 100 meter fence will have minimum following items - Intermediate posts with fitting accessories- 33 nos Corner posts with stays,lugs sleeves and fitting accessories - 2 nos Insulators - 330 nos Tensioners with screw & hooks- 20 Warning sing- 2 nos Multistrand galvanized wire- 1000mtr Other misc accessories as required- 1 lot
3.	Controlling hardware, software fully loaded on computer (Min. core i3) with 20 inch screen etc. to be installed Central control room(only one such system is required for any length of fence)
4.	Key pad for master control room
5.	30 Watt Siren
6.	Strobe
7.	6 core OFC Cable
8.	CATR 6A U type cable
9.	Flood lights- Flood light illuminator/fitting should have symmetric optics. It should have R7S Lamp holder. Reflector should be anodized for better light output. Its size without stand should be 185mm x175mm x125mm (max) It should be fitted with 150 W halogen lamp. It should be capable to use up to 500W halogen lamps. Its light throw up should be up to 15 meter or more. Halogen lamp should be double ended with tube base. Average life of lamp should be 2000 h (min).

10.	Power supply cable for Flood lights- Nominal cross section area of conductor- 4 sq.mm. Number/Nom Dia of wire min. : 56/0.3/0.3 Thickness of insulation (Nom.)mm. : 0.8 Resistance (Max) per Km at 20°C Ohms: 4.95 Current Carrying Capacity 2 cables single phase in conduit trucking Amps. : 24
11.	1 inch PVC conduit with accessories like saddles, bends, tees, ties etc
12.	Warranty for two years .Service support and spares backup for 06 years after expiry of the basic warranty.
Item - 6	Anti Riot Gas Mask
	Technical Specification
1	The mask should consist of face piece, inner mask exhalation valve system, harness system and inbuilt visor.
2	Face piece should have an inbuilt anti fog visor.
3	It should be fitted with Panoramic Visor of universal size, visor should give maximum peripheral vision and wear recognition.
4	Visor should provide wide field of view
5	Mask should have a provision to adjust on the face of different users.
6	Mask should not hinder the user of personal weapon and should be compatible with other tactical equipment used in field operations like communication devices and bullet proof helmets etc.
7	Mask should connect with canister army
8	The inner mask should have the provision of two control valves, one to oral and other to nasal end.
9	Mask should be designed in such a way that there will be no fog on lens in low temperature or high humidity conditions.
10	The mask should be made up of silicone superior material which enhances the wearer comfort so that it can be worn for longer periods. The material should resist chemical attack and temperature extremes, withstand rugged daily use, impact resistant, comfortable fit and should resist stone pelting also.
	Canister Specifications :- The fitter canister in connection with suitable respirator should provide protection against solid and liquid particles, pepper spray (OC), smoke producing substances , radioactive particles, biological viruses, riot control agents (law enforcement) such as bromacetone, CS, CR, CN, CNC, CNS, CA substances. Operational time should be specified canister-wise
Item - 7	Dragon Search Light
	Technical specifications
1.	25 CML, 16.5 CM front Dia and 13.5 CM Rear Dia
2.	Black Colour, 3.5 MM thick ABS Material body
3.	Input Voltage 220 +/-10% A.C
4.	Single phase 50 Cycle
5.	Weight Approximately 3.5 Kgs
6.	High Powered 55 W Halogen Lamp
7.	12 V T Ah Maintenance free leak proof sealed battery
8.	Minimum 01 hour continuous operation on full charge.
	Salient Features
1.	Rugged, reliable and simple to use, available with adjustable shoulder strap toughened glass
2.	Inbuilt battery charges
3.	Dimmer for light intensity adjustments

4.	Auto flasher (time variable) for signalling
5.	Membrane switches for easy and smooth operation
6.	Sound signal attached to determine extreme high and low level of dimmer and auto flasher
7.	Light restarts at the same dimmer level at which it was put off last
8.	Master Push to ON switch, Led indications for system ON, ADV Low Battery indicator, AC/DC blown fuse indicator
9.	Provision for Auto switch ON as an emergency light
10.	Warranty – 02 Years



(Sheikh Junaid Mahmood)

AIG Provision/Tpt,

For Director General of Police,
J&K-Srinagar.

06/10/17