POLICE Phone/FaxNo: **HEADQUARTERS** 

0194-2443031/ 2443032 (Sgr) 0191-2459029/2459255(J



AMMU AND KASHMIR

Website:www.jkpolice.gov.in Email:phqjk@jkpolice.gov.in

{Provision Section}

NIT NO; H of 2018 Dated: 15.05.2018

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from Original Manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of Security Equipment, as indicated in the detailed SBD & BOQ. The download of NIT shall start on 15.05.2018 at 1200 hours. Tenders shall be submitted online on J&K State e-procurement Portal www.jktenders.gov.in before 16.06.2018 upto 1800 hours.

The tenders (technical bids only) will be opened online on 18.06.2018 at 1100 hours at Police Headquarters, J&K Peerbagh Srinagar. Pre bid Meeting will be held at PHQ J&K Peerbagh Srinagar on 26.05.2018 at 1500 hrs. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal www.iktenders.gov.in.

> (Mubassir Latifi) JKPS, AIG (Provision/Transport)

For Director General of Police, J&K Srinagar.

No. Prov-II/Sec-52/2017-18-32969-77

Copy to the:-

Principal Secretary to Govt. Home Department J&K Jammu for favour of 1. information.

All IsGP J&K Police for information. 2.

Director Industries Srinagar/Jammu for information

- Manager Government Press Srinagar/Jammu for publication in Govt 4. Gazette.
- SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Ghandhi 5. Marg New Delhi 110001 for information.
- AIG (Communication) PHQ for publication purpose. He will personally liaise with 6. Directorate of Information for publication of Gist immediately in two leading local and National dailies. .
- In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar. 7.

SO (E-Tendering) PHQ, J&K, Jammu. 8.

In-Charge IT Centre PHQ for posting the NIT on the website of J&K Police. 9.

> AIG of Police (Prov/Tpt) For Director General of Police,

J&K Srinagar.

POLICE
Phone/FaxNo:

### **HEADQUARTERS**

0194-2443031/ 2443032 (Sgr) 0191-2459029/2459255(J



{Provision Section}

AMMU AND KASHMIR JAMMU

Website:www.jkpolice.gov.in Email:phqjk@jkpolice.gov.in

NIT NO; 6 of 2018 Dated: 15.05.2018

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from Original Manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of **Security Equipment**, as indicated in the detailed SBD & BOQ. The download of NIT shall start on 15.05.2018 at 1200 hours. Tenders shall be submitted online on J&K State e-procurement Portal www.jktenders.gov.in before 16.06.2018 upto 1800 hours.

The tenders (technical bids only) will be opened online on 18.06.2018 at 1100 hours at Police Headquarters, J&K Peerbagh Srinagar. Pre bid Meeting will be held at PHQ J&K Peerbagh Srinagar on 26.05.2018 at 1500 hrs. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal www.jktenders.gov.in.

(Mubassir Latifi) JKPS, AIG (Provision/Transport)
For Director General of Police, J&K Srinagar.

No. Prov-II/Sec-52/2017-18-32 969-77 Dated: /5
Copy to the:-

enartment I&K Jammu for fax

.05.2018

- 1. Principal Secretary to Govt. Home Department J&K Jammu for favour of information.
- 2. All IsGP J&K Police for information.
- 3. Director Industries Srinagar/Jammu for information
- 4. Manager Government Press Srinagar/Jammu for publication in Govt Gazette.
- 5. SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Ghandhi Marg New Delhi 110001 for information.
- 6. AIG (Communication) PHQ for publication purpose. He will personally liaise with Directorate of Information for publication of Gist immediately in two leading local and National dailies.
- 7. In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar.
- 8. SO (E-Tendering) PHQ, J&K, Jammu.
- 9. In-Charge IT Centre PHQ for posting the NIT on the website of J&K Police.

AIG of Police (Prov/Tpt)

For Director General of Police,

J&K Srinagar.

### **POLICE**

### **HEADQUARTERS**

AMMU AND KASHMIR

Phone/FaxNo:

0194-2443031/2443032 (Sgr) 0191-2459029/2459255(J

{Provision Section}

Website:www.jkpolice.gov.in Email:phqjk@jkpolice.gov.in

# ENIT NO K OF 2018

			e-NIT NO. 6 of 2018			
			Dated; 15.05.2018			
1.	For and on behalf of the Governor J&K State, online tenders (e-tenders) are invited from original manufacturers or their authorized dealers, for the supply of <b>Security equipment</b>					
	as spec	cified in Annexure "A'	of the NIT. Approved/authorized dealers will attach valid &			
	auther	nticated copy of author	orization of original manufacturer(s), without which tender			
		e liable to be rejected.				
2.	The N	IT Consisting of Con	pplete information, eligibility criteria, specification, Bill of			
	quanti	ties, (B.O.Q), Set of te	rms and conditions of contract and other details can be seen/			
	downie	oaded from J&K S	tate e-Procurement Portal www.jktenders.gov.in from and last date of online submission is 16.06.2018 (1800 hours).			
3.	Time	Adate and place for	16.06.2018 at 1100 hours at J&K Police Headquarters,			
ی.	online	_	Peerbagh Srinagar.			
	tende	, ,				
	Validi	ity of tender offer	240 days from the last date of submission of tenders.			
	Pre b	id meeting	26.05.2018 at 1500 hours at J&K Police Headquarters,			
			Peerbagh Srinagar.			
4.	The ir	ntending bidders will	have to attend Pre-bid meeting to be held at Police			
	Headq	juarters Peerbagh Srin	agar on 26.05.2018. Bidders shall submit their queries etc atore Pre bid conference. In the Pre bid conference they will be			
	reast u	full annorthinity to bu	t their view point regarding specifications etc mentioned in			
	the e-	NIT. However, any que	ery etc raised by any bidder after Pre-bid conference will not			
		ertained.				
5.	SAMPI	LES WHEREVER ASKED	SHALL BE AS UNDER:			
	1.	The tenderers shall e	nsure that samples submitted by them fully conform all the			
	-	parameters of the NIT				
	II.		e (wherever asked) after stipulated date and time for receipt			
			es shall not be accepted.			
	Ш.		ave a card affixed to it duly signed and stamped by the firm			
			f the firm (b) tender No. (c) Date of opening of tender and (d)			
			ke and model (wherever applicable).			
	IV.	Sample shall be wit	thout any kind of marking/sign/symbol/blot/scratch/stain.			
			ing to this clause shall be rejected.			

- Samples not conforming to this clause shall be rejected.
- Samples will have to be provided by the technically qualified bidders on short ۷. notices for demonstration.

Samples of rejected offers shall be collected by their authorized representatives on requisition made on letter head of the firm, duly stamped, signed and attested by the tenderer. In case samples are not collected within the period of rate validity of this tender, the sample will be disposed off without any cost/liability to J&K Police.

All tender documents attached with this invitation to tender including the specifications are SACROSANCT for considering any offer as complete offer. It is important that scanned copy of each page of the tender document duly completed, page numbered and signed is uploaded with your offer in a sequential manner and not haphazardly.

- 7. The tender fee has been fixed for SSI units of J&K State only Rs. 100/- and all other vendors have to pay Rs. 2000/- as tender fee in the shape of a crossed demand draft favouring Chief Accounts Officer PHQ J&K payable at Srinagar. The tender fee is not refundable and same will be deposited into Govt Treasury under head 0055-Police for the year 2017-18. The scanned copy of the demand draft should be part of the online bid. The original demand draft should be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Peerbagh Srinagar alongwith covering letter in an envelope which should have a card affixed to it duly signed and stamped by the firm indicating (a) name of the firm (b) tender No. (c) Date of opening of the technical bids. The local SSI units of J&K State are required to pay the tender fee prescribed as per J&K Govt. rules. However, the Govt/ Semi Govt. concerns of the J&K State claiming exemption shall append copies of the authenticated orders, existence/ registration certificates etc. with regards to the SSI units issued by the competent authority in support of their claim. Tenders without stipulated tender fee shall be rejected.
- 8. Earnest Money Deposit (EMD)

The intending tenderers will have to send the Earnest Money only in shape of CDR/FDR from any nationalized bank/State owned Banks for an amount of Rs 5000/- for J&K state SSI Unit holders only and for other tenderers Rs.200000/- pledged to AIG (Prov/Tpt) PHQ J&K with the tender offer, which shall be valid for one year. The EMD in case of unsuccessful tenderer shall be released after finalization of Tender, whereas, in case of successful tenderers it will be adjusted towards security money (required to be deposited) on application, for due performance of the agreed contract/performance during warranty period. No interest shall be payable by the purchaser on the EMD deposited by the tenderer. The Scanned copy of the CDR/FDR should be part of Online Bid and the original be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Airport Road Peerbagh Srinagar alongwith tender fee before the opening of technical Bid. J&K Govt. rules with regard to furnishing of EMD in respect of local Registered SSI units of J&K State shall be applicable in letter and spirit. The local SSI units are required to pay EMD prescribed as per J&K Govt rules. For the purpose, SSI units shall have to furnish Registration Certificate INDICATING THEREIN THE DETAILS OF ITEMS AND INSTALLED CAPACITY OF THE UNIT PER MONTH and Functional Certificate of SSI Unit, issued by the competent authority, with their tender offer failing which the benefits of SSI units will not be allowed. The Government/ Semi Govt. or similar other concerns of J&K state, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims.

Tenders	without	<b>EMD</b>	shall	be	rej	ected.
---------	---------	------------	-------	----	-----	--------

<u></u>		CONCLONES LOCATIONS IN /Dolico
9.	I)Stores required at	FREE DELIVERY AT CONSIGNEE LOCATIONS i.e, (Police Central Store Zewan Srinagar and Police Central Store Gulshan Grounds Gandhi Nagar Jammu. Tenderers are required to quote rates on free delivery at consignee's location basis only. Tenders received quoting rates on FOR Destination Stations/Station of Despatch basis shall be rejected.
	iii) Delivery period	Approximately within 45 days from the date of issue of Acceptance of Tender or as stated in the supply order.
	iv) Inspection	The department is at liberty to conduct testing/ inspection of stores during any stage of manufacturing. Tenders should disclose the name and full address (along with telephone/fax no. of the place where the stores will be manufactured and

	hander met need the little to e-med the little (cr) spirite til timber (fig. vie all til timber ) figete tel timber (cr) social telescope	will be available for inspection.
	v) Inspection authority	Board of officers, duly constituted by the J&K Police Hqrs, at
	/ place of survey	consignee's premises.
: immr	vi) Packing and	As per clause 29 of this tender
	marking	
100 000 000 000 000 000 000 000 000 000	vii)Payment terms	Payment shall be released by the department against each consignment delivered, inspected, accepted and properly brought on the stocks in the concerned stock registers of the
		Department. Remittance charges (Bank Commission) on payment made to the firms will be borne by the supplier/s. The preferred mode of payment will be through RTGS, for
		which the approved supplier shall have to furnish the Bank/RTGS code details.
		If approved supplier backs out or fails to supply the goods against supply order within stipulated delivery period ,the department will be at liberty to procure the item from L-2 firm and differential amount between L-1 & L-2 rates will be deducted from the security deposit furnished by the
		approved supplier and remaining security deposit will be forfeited besides invoking other remedies which shall include black-listing of the firm. If approved supplier supplies the goods partially against supply order within stipulated delivery period, the J&K Police reserve the right to impose liquidity damage charges upto 5% of the unsupplied store upto first 15 days and thereafter penalty can be increased depending upon the nature of supplies and
		extent of delay. However, period of delivery may be extended at the absolute discretion of J&K Police provided delay is attributable to the reasons beyond the control of the supplier firm but not attributable to business transactions and also delay is communicated in writing justifying the cause of delay.
10. C	On due date of opening o	f tenders i.e. 18.06.2018 at 1100 hours, technical bids only shall
b	oe opened and the Techn	ical evaluation Process will start.
11. F	Rates quoted by the firm	s) should be on firm price basis.
12. F	Firms shall clearly indicat	e different taxes, duties, charges which they propose to charge
a	as per the format of Bill	of quantity (BOQ) available with the e-tender, moreover online
<b>E</b>	generation of financial c	omparative (BOQ Chart) is of indicative nature only and not
C	conclusive. The detailed	financial comparative (BOQ Chart) shall be worked out by the
		tion can be uploaded on the website for general information of
1 1 .	all the Tenderer.	
13.	TWO BID SYSTEM :-	Levis shair offers in two sovers online as under-
/	All bidders are required t	o submit their offers in two covers online as under:- Bid) is to be uploaded Online and Scanned Copies in PDF format
	should contain the follow	
S	Should contain the follow	will clearly mention the name of the items for which he has
100	guotad in the	covering letter of the tender offer.
	Tondor docum	ments (viz technical compliance, broachers/catalogues of the
	augted items	containing Make & model of the items ,OEM/ authorization
	certificate, re	egistration/existence certificates of the firms / SSI Units & etc duly page numbered completed and signed <b>BUT WITHOUT</b>

	INDICATING THE RATES QUOTED.
iii.	Scan copy of the Earnest money.
iv.	Scan copy of Tender Fee.
v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.
vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration), signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from any ambiguity.
vii.	Test report of each sample (wherever asked) shall be completed in all respects
viii.	Sample tested shall bear the seal of the testing laboratory prominently.
ix.	Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.
х.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.
xi.	Authorised dealer having authorisation to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item.
xii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items should be duly ticked.
xiii.	Performance statement /turn over for last two years as APPENDIX-III of this NIT.
xiv.	Acceptance of Warranty/guarantee of the items.
xv.	Acceptance regarding delivery within the stipulated delivery schedule.
xvi.	PAN no/VAT/TIN No. Self attested photocopies thereof be appended.
xvii.	Check list for tenders as per APPENDIX-III of this NIT.
xviii.	Any other relevant document which the firms may wish to submit

#### 14. SECOND COVER

(Commercial/Price Bid) should contain the following:-

i. Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted
ii. Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.
iii. The rates of AMC inclusive of service Tax (applicable after completion of warranty period) shall also be quoted separately.

### 15. Security Deposit:

The approved tenderers will have to supply the articles as per approved rate, approved sample and specification till the validity of the contract. They will have to furnish security

deposit @ 5% of the total value of the items contracted in the shape of CDR/FDR issued by a Nationalized/Scheduled Bank, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable.

16. Guarantee/Warranty

Except as otherwise provided in the invitation to the tender, the contractor hereby declares that the goods, stores, articles sold/supplied to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/ mentioned in the contract. The contractor hereby guarantees that supplied goods/stores/articles would continue to conform to the specifications and quality for a period of 24 months, from the date of acceptance of supplies by the purchaser. If during this , supplied stores/goods/articles be discovered not to conforming to the specifications and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify/replace the goods/stores/articles or such portion thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods/articles/stores rectified/replaced from the date of rectification/replacement thereof. In case of failure of the contractor to rectify or replace with the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores by the available means.

17. Liquidity Damages

Successful tenderer shall have to make the supplies within stipulated period as would be mentioned in the supply order. J&K Police reserves the right to impose liquidity damages of 5% of the cost of unsupplied stores which shall depend upon the nature of supplies and extent of delay. However, period of delivery may be extended, at absolute discretion of J&K Police provided the delay is attributable to reasons beyond the control of the supplier but not attributable to business transactions and provided delay is communicated in writing justifying the cause of delay.

- 18. Conditional tender will not be accepted / entertained. It will be summarily rejected. No other conditions than those mentioned (in the terms set-forth) will be entertained.
- 19. Purchaser reserves the right to get the manufacturing capacity of all the firms re-verified irrespective of the registration status or any other document/ information.
- 20. Purchaser reserves the right to cancel/reject or scrap the tender, with no consequential liability.
- 21. The supplies delivered by the successful tenderer shall be surveyed and verified by the J&K Police at Police Central Stores Jammu/Srinagar, as the case may be.
- 22. The PHQ shall have the discretion to send any number of samples from the received supplies from successful bidder for testing to one or more CFSL or NABL/BIS accredited Labs to check its conformity with the approved sample/specifications quoted in the NIT/supply order. In case of variation, the supply will be rejected at the cost and consequences of supplier.
- 23. As soon as the acceptance of the tender is communicated to the successful tenderers online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof is communicated/posted to him shall be forfeited besides other penal remedies that may

- be available to the Govt. of the J&K under the law for the time being in force in the State of J&K:
- 24. The successful tenderer(s) shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.
- 25. The tenderer is required to furnish an authenticated copy of Sales Tax/ VAT/GST clearance certificates (alongwith the tender offer or at the time of payments) for the year 2016-17 or a year earlier. The PHQ shall be at liberty to put to scrutiny, verification etc. the Sales tax /VAT/GST clearance so furnished by the successful tenderer.
- 26. The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specifications shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated in the tender or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender offer.
- 27. After the registration/placement of orders/execution of the agreement and formally depositing the security money, in case the tenderer backs out or fails to supply the goods, the security deposited will be forfeited besides any other penal provisions, the department may decide as per norms.
- 28. The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract shall be recovered from the defaulter, besides other penal provisions as the department may decide;

#### 29. Delivery of Goods

Goods shall be delivered (as per instructions in supply order) at Police Central Store, Gulshan Ground, Gandhi Nagar, Jammu and Police Central Store, Zewan, Srinagar as the case may be duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;

- 30. If the successful tenderer fails to supply the goods of the prescribed specification or fails to deliver the goods within stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by re-tendering or otherwise at the risk and cost of the tenderer. The department shall be lawfully entitled to forfeit the amount of the EMD/security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available with the department, under law.
- 31. Either the original manufacturer or his authorized dealer can participate for a particular item or sample(s) only. Tender offers where both original manufacturer and his authorized dealer participate for the same items shall be rejected.
- 32. If at any stage of the tender process two or more bidders are found in collusion between /among themselves with the intent to reduce competition, set price, share technical expertise ,share business information/decision ,control/share production and or distribution of products and raise prices ,all such tenders shall be out rightly rejected.
- 33. If at any stage of tender process any bidder/s is/are found influencing any Government Servant associated with or handling the tender process and supplies thereof, bid of such tenderer/s shall be rejected besides invoking any other provision available under rules.

- 34. All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Srinagar and Jammu and not elsewhere;
- 35. It shall be incumbent upon the supplier to provide entire supply, in conformity with the approved sample, strictly as per the specifications provided in the NIT/supply order. Supplies found deficient in quality /quantity viz—a-viz supply order shall be rejected. Penalty/damages would be imposed and recovered from the bidder as per terms and conditions indicated in the supply order.
- 36. The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved sample & specifications they shall be rejected and at our absolute discretion, rejected stores may be allowed to be made good by way of replacement. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected articles shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the purchaser.
- 37. The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies and hence above shall not be construed as all inclusive.
- 38. Bidders submitting their bids on-line shall only be accepted and manual bids shall be rejected and no document other than mentioned in the NIT shall be accepted manually.
- 39. PHQ may call any bidder at any stage of the tender process for seeking any clarification.
- 40. Queries /representations on tender enquiry should be received upto pre-bid conference or within 10 days from the date of publication of this tender enquiry (whichever is earlier) would be entertained .All queries/representations received after pre bid conference would not be entertained.
- 41. The bidder should furnish an undertaking APPENDIX-II of this NIT stating that he /she is not connected in any manner with any other bidder in this tender with respect to manufacturing ,distribution, supply, in sharing business information/documents price of the item etc. for the items quoted in this bid. If this is found to be incorrect, his/her tender would be rejected.
- 42. The interested bidders should indicate the AMC cost, year wise beyond the period of comprehensive warranty in absolute terms i,e total amount, all inclusive, break up of applicable taxes to be given. Moreover in case of imported equipment or major components thereof if imported, the bidder must furnish a copy of 'Certificate of Import' together with a certificate from Principal Manufacturer of such equipment, components that the product's performance as stated above is tested in accredited lab and guaranteed with full support for service, maintenance etc be provided for at-least 05 years.
- 43. If required, the short listed tenderers will have to arrange for the Ballistic/Technical or field/Practical demonstration of the Equipment/s at their own cost at the place and date to be fixed by the Authority. The shortlisted firms will be required to provide sample(s) for conducting practical demonstration or ballistic testing. The bids of such short listed bidders, who do not arrange / participate in the demonstration even after being asked by the purchaser or will not deposit required number of samples shall be liable for rejection.
- 44. Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement:
- 45. The supplier shall not sublet the contract or any part thereof to any other agency without the concurrence of PHQ J&K.
- 46. The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for one or the other reason.

47.	All pages of technical/pre qualification documents must be clearly page marked at the bottom (center) of each page before scanning the same and uploaded to e tendering portal.
48.	No duplicate documents/ pages shall be uploaded by the bidders against e NIT.
49.	Documents to be scanned, converted to pdf format and subsequently uploaded to the portal, must be scanned at 200 DPI (dots per inch) resolution/scale.
50.	Tender fee and EMD documents must be scanned and placed in separate pdf files.
51.	Bidders are advised not to upload any irrelevant/un-necessary document against e NIT.
52.	The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal www.jktenders.gov.in. In case of any clarification, please contact Telephone Numbers 0194-2443031, 0191-2459029 (F), 0194-2443032, 0191-2459255 e-mail;

phqjk@jkpolice.gov.in

(Mubassin Latifi)

AIG of Police (Provision/Tpt),
For Director General of Police,

J&K-Srinagar.

# APPENDIX-1 FORMAT OF MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE

To,	
The Dir J&K, Ja	rector General of Police, ammu.
Subject	;
Sir,	
	Please refer to your tender enquiry (e-NIT No. 4 of 2018 Dated 5.05.2018)
the a	who are proven and reputable Manufacturers/dealers of (name and description of the ds offered in the tender) having factories at hereby authorize M/s (name and address of agent) to submit a tender, process the same further and enter into a contract with you against your irement as contained in the above referred tender enquiry documents for the above said goods ufactured by us.
abov agair	urther confirm that no supplier or firm or individual other than M/s (name and address of the re agent/dealer) is authorized to submit a tender, process the same and enter into contract with you not your requirement as contained in the above referred tender enquiry documents for the above said is manufacture by us.
mod	also hereby extend our full warranty, CMS/AMC support as per the conditions of contract, read with ifications, if any, in the special conditions of contract for the goods and services offered for supply by bove firm against this TE document.
the a	Yours faithfully,
	Signature with date, name and designation For and on behalf of M/s  (Name and address of the Manufacturer)
Note;- 1.	This letter should be on the letter head of <b>the manufacturing firm</b> and should be signed by the person who is competent having the power of attorney.  Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER

# APPENDIX-II

# Reference e.NIT No. (e-NIT No. 16 of 2018 Dated 15 .05.2018)

To, The Directo J&K, Jamm		eneral of Police
Sir,		
1. I_ with any business i	oth info	hereby state that I am not connected in any manner bidder in this tender with respect to manufacturing distribution, supply, in sharing mation/documents and price of the items etc. quoted in this bid.
2. I f my tender		er state that if this is found to be incorrect, the police department is at liberty to reject
		Yours faithfully,
		Signature with date, name and designation For and on behalf of M/s
		(Name and address of the Tenderer)
Note;-		
	a.	This undertaking should be on the letter head of Tenderer and should be signed in person by the tenderer.

b. Scan copy of the original letter must be attached with tender documents.

# SIGNATURE OF THE TENDERER.

APPENDIX-III
Performance statement for last two years

mone for last two years
-

Signature of Tenderer

### APPENDIX-IV

# General instruction/CHECK LIST FOR TENDERERS;

Before submission of tender documents, the renderers should check whether they have complied with the following requirements of otherwise;-

S. No.	Requirement to be checked before submission of tender	Complied (Please
		indicate YES or NO after complying with the requirement.
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload the same after ensuring accuracy	
2,	Whether tender fee scan copy is enclosed, with the technical bid?	
3.	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical bid?	
4.	If an SSI Unit, the same is indicated in the tender and scan copy of valid registration certificate with installed capacity per month is enclosed or not?	
5.	Whether monthly manufacturing and supplying capacity is mentioned in the tender document or not?	
6.	Whether scanned copy of copy of complete tender documents are up-loaded in the technical bid duly signed having official seal on all pages or not?	
7.	Whether tender documents are submitted in two bid system l.e. Technical and Financial Bids separately as per tender enquiry or not?	
8.	If called for in tender enquiry, whether tender sample conforming to the specifications has been deposited with Central Store Jammu/Srinagar (as provided in tender enquiry)?	
9.	Whether offer validity as required in tender enquiry is accepted and indicated in your tender document or not?	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and indicated in your tender document or not?	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed with the supporting technical documents/proof, Lab test etc for each point/parameter or not?	
13.	Whether compliance statement for last 2 years as required in tender enquiry in the format is enclosed or not. If not, reason thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
15.	Whether details of AMC condition after warranty period is included in the price bid	

or not, if required in the tender enquiry?	
(a) Status of renderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.	
(b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&D under compulsory enlistment scheme or not. Copy of valid DFS&D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?	
If called for in T.E whether free training about use of equipment after supply, is accepted or not.	
Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?	
The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).	
Entry Tax/0ctroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.	
Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.	
No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as "Nil'.	
	(a) Status of renderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.  (b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&D under compulsory enlistment scheme or not. Copy of valid DFS&D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?  If called for in T.E whether free training about use of equipment after supply, is accepted or not.  Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?  The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).  Entry Tax/Octroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.  Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.  No column should be left blank. Wherever amount is not quoted, the column should

# Annexure "A" of NIT No. 4 of 2018 dated 5.05.2018

Item No.1	Under vehicle Surveillance system (UVSS) Qty (06 sites)
	Specification
1.	UVSS should be able to capture very high resolution and complete composite colour under body image of any vehicle passing over it using a single high resolution camera without the vehicle being required to be stopped
2.	UVSS should be able to handle vehicles moving at different speeds ranging from 0 to 20 Kms/hr while the composite image so captured by the system should be automatically and dynamically adjusted according to the speed of the vehicle using
3.	The composite imaging camera should be a high quality, COLOUR AREA SCAN
4.	UVSS should be capable of producing a clear and undistorted image of the vehicle underside even when a vehicle has completely stopped/halted over the UVSS unit i,e it must still be able to create a seamless and perfect composite image of the underside irrespective of stoppage or non uniform motion of the vehicle over the scanner.
5.	UVSS should not use either Line Scan camera based technology or any type of analog cameras to form composite image
6.	UVSS must have feature to magnify (Zoom) the composite images (current past) upto 4X or better in order to facilitate closer view of any part of the composite image
7.	The underside illumination must be adequate and obtained through any state of the art, long life and LED lighting modules. Halogen or CFL type lighting elements for illumination of underside will not be accepted
8.	Three or more additional cameras for capturing motion video images of the deeper/hard viewing areas of the underside e,g areas around suspension, below the engine areas, side wall of fuel tanks and exhaust pipes etc
9.	UVSS should also provide a feature to capture the image of the driver of all RHS driven vehicles, captured through suitable driver view camera
10.	The system should have an automatic number Plate Reading System (ANPRS) tuned to the Indian license plates i, e it should be able to automatically read and record a wide range of vehicle registration number plates alpha- numeric character, written in English. Also the frontal image view of the vehicle to be provided in the GUI to facilitate manual viewing of the license plate image.
11.	UVSS should give output of all the data simultaneously i,e the composite image, additional video of hard viewing cameras, drive photos, vehicle frontal image and its number display, all after vehicle crosses the unit. Also the system should have a facility to view the composite image and video images, offline for all vehicles.
12.	UVSS applications and operating software should preferably be based on open architecture. It must have a user friendly Graphical User Interface (GUI) with provision for multiple users logging of events ion search facility.
13.	UVSS system must have a facility to take back up of all the transactions to storage media.
14.	UVSS should have an option to control all local UVSS operations from the second/supervisory central console on high speed LAN. Without any distance constraint between the UVSS unit and the location of control room where the secondary/supervisory console would be placed.
15.	UVSS should have the option for open protocol for integration with other security

,	systems.
16.	System shall remain under comprehensive warranty for 03 years.
Item No.02 Deep Search Metal detector (DSMD) Qty (30)	

01	Physical Characteristic	i. The detector and its accessories should be		
		comfortable for handling.		
		ii. Light weight and made of non-corrosive		
		(exceptionally corrosion protected) material,		
		aluminum, carbon fiber, glass fiber etc.		
		iii. Material should have proven reliability and		
		durability.		
		iv. Complete equipment should be Water Proof		
		(IP-67 Standard). It should be a single		
		composite unit including the control unit and		
		extension shaft with all cable and connectors		
		inside and no connector or cable should be		
		visible outside except headphone connector to		
		avoid any mishandling.		
		v. Easy to transport.		
02		i. Complete operational unit with batteries &		
V.	Weight and	Search head 3.5 kgs (Maximum).		
	Dimensions	ii. Bag pack weight of the equipment with search		
		head <b>5kgs</b> (Maximum).		
		iii. Total weight of the equipment including all		
		accessories and ruggedized carrying case 12		
		kgs (Maximum).		
		iv. Packed length of the equipment should be		
		maximum 700 mm.		
		v. Operating Length - (Measured from the rear end		
		of armrest to edge of coil, coil being placed		
		parallel to the shaft). The minimum operating		
		length should be between 700 to 900 mm and the		
		maximum operating length should be in between		
		1500 to 1750 mm.		
	Search Head	The search head should be in any shape i.e.		
03	Search Flead	Circular or oval.		
		i. The circular search coil should have diameter		
		between 20 cm to 26 cm and oval search coil		
		should have dimensions between 20 cm to 30		
		cm. ii. Extendable rods with clamps to extend the		
		i		
		length of detector.		
		iii. Ruggedized / replaceable protective cover for the		
	B 4-4: 0- 2: 11	search head should be provided.		
04	Detection Sensitivity	i. The size and shape of the objects with which the		
		tests will be conducted are as under :-		
		a. 0.15 gm metal - 1 inch x 1 inch tin foil.		
		b. 50 mm nail - Thickness 03 mm and dia of head 06		
		mm.		
		c. Salty water - 03 gm iodized common salt in 1 ltrs		
		of water.		
		ii. The sensitivity of the detector must meet		
		the following specifications:		
		In free Air :		
		(a) 0.15 gm metal 27 cm;		
		L (b) 50 man mail continui 22 oro:		
		(b) 50 mm nail vertical 33 cm;		
		(c) 50 mm nail vertical 35 cm;		

		Under Ground
,		(a) 0.15 gm metal 20 cm;
		(a) 6.13 griffiletal 20 cm;
		(c) 50 mm nail horizontal 18 cm;
		(c) 30 min hair nonzoniai To citi,
		In clear water
		(a) 0.15 gm metal 20 cm;
		(b) 50 mm nail vertical 28 cm;
		(c) 50 mm nail horizontal 19 cm;
		(0) 00 11111 110112011101 10 0111,
		In salty water
		(a) 0.15 gm metal 20 cm;
		(b) 50 mm nail vertical 28 cm;
		(c) 50 mm nail horizontal 19 cm;
		iii. Detector must be capable of pinpointing detected
		metal to ± 10 cm range and will be checked in
		free air, underground, clear water and salty
		water. The distance will be taken from the center
		of the search head to the center of the object
		iv. Detection tone should be distinct from the working
		tone. The equipment should be free from radio
		and static interference and the equipment should
		have the radio frequency interference elimination
		feature and this feature should be independent
		of Sensitivity button.
		v. Ground compensation feature should be in the
		equipment for manual ground compensation by
		the user if required for any particular soil and this
		feature should be independent of Sensitivity
		button.
		vi. The equipment should have Audio Threshold
		feature to enable the user to increase or
		decrease audible response from the target for a
		better detection of target.
05	Detection Capability	i. Very easy and effective searching of large
		areas.
İ		ii. Should detect all ferrous and nonferrous metals.
		There should be different audio tone / pitch to
		differentiate between ferrous and nonferrous
		metals.
		iii. Must be capable of detecting buried metals in all
		types of soil including laterite.
		iv. It should work in all-weather condition from arid
		to pouring rain.
		v. Usage time should be minimum 12 hours on
		rechargeable batteries.
		vi. Operating temperature: -20° to +55° C. vii. The equipment should be able to differentially
		, , , , , , , , , , , , , , , , , , ,
		detect two detonators placed at a distance of one ft apart.
06	Control panel and	i. The integrated unit should have LED display
UU	display unit	bright enough to be visible in sunlight.
	. ,	ii. Visual LED indication must be observable in
		normal operation of detector with the option to
		switch off the LED (to work under discrete
		mode).
		•
		<ol> <li>Display should show signal strength / intensity of metal.</li> </ol>
		iv. It should have visual as well as audio signal for

,		metal detection.  v. The control unit should have low	battery
		indication and also audio alert to enable th	•
		to replace the batteries.	
		vi. The Control Unit should have adequate h	
		for volume control, sensitivity control,	
	; 	frequency interference elimination button e vii. It should have inbuilt speaker as w	
		provision for headphones.	CII as
07	Source of Power	i. When equipment is switched on, batter	v level
•		status should be displayed / indicated t	-
		LED/Audio beeps.	_
		ii. The equipment should function proper	
		commercially available rechargeable as v	well as
		alkaline batteries.  iii. Two sets of rechargeable batteries	with
		battery charger to be provided with	
		equipment.	
		iv. The battery usage time should be minin	num 12
		hours with both type of batteries me	entioned
	Tanana daktar - 1	above.	
08	Transportation and Storage and Transit	<ul> <li>i. The detector together with its accessorie come in a lightweight, durable, compa</li> </ul>	
	Storage and Transit	carrying case, preferably water resistant.	Ct Soit
		ii. A ruggedized carrying case should a	ilso be
		provided for safe transportation.	
09	Operational life	Ainimum eight years.	
10	Warranty	i. Warranty of the equipment should be 2 ye	ars (24
		months).	
tem No.03		*	
1.	Application	Should be able to detect all the explosive	
		high/low vapour pressure), peroxide	based
		explosives like TATP, HMTD and liquid explosive	/es
2.	Warm up and Analysis	Warm up time less than 05 Minutes	
	time	Analysis time less than 05 seconds	
3.	Sensitivity	Should detect femtogram quantities of explos	
4.		It should not require any external dev	ice for
	External device	detecting in a particular mode	
5.	Electromagnetic	Use of electronic devices/electrom	agnetic
	Interference	substances should not affect its working	
6.		Should be able to detect in open filed areas, v	vehicles
	Versatility	and aircrafts etc	<u>-</u>
7.	Operation and operat	g User friendly easy to operate in temperature	e range
	temperature	minus 30 degree to 50 degree C	
8.		Should be able to work on AC 90-260 Volts.	Battery
<u> </u>	Endurance	operation not less than 04 hrs.	
9.	Back up	02 spare batteries with each unit	
10.		Automatic adjustment/resetting for	further
		operation and ability to detect bo	th in
		vapour/particulate mode and changeover tim	e from
		one another should be less than 10 seconds w	
	Auto calibration	replacing the head.	
11.		Colour LCD for better visibility and audio al	arm on
	Display	detection.	
12.	Carrier gas	Should not require carrier gas/consumable ma	terial
	T 222. Daz		

1 <b>3</b> .	Specificity	False alarm rate less than 02 percent
14.	Selectivity	Should be able to respond wide range of explosives in presence of non explosives and should not respond non explosives
15.	Safety	It should be able to handle. No radioactive material is used free from radiation. Weight less than 03 Kgs
16.	Warranty	Comprehensive warranty (replacement, inclusive of batteries for minimum 02 years.

(Mubassir Latifi)

AIG of Police Provision/Tpt,
For Director General of Police,
J&K-Srinagar.