


e-NIT NO; **20** of 2014  
Dated; 02.09.2014

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from original manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of **Security Items (indicated in the detailed SBD & BOQ)**. The download of NIT shall start on **02.09.2014** at 1700 hours. Tenders shall be submitted online on J&K State e-procurement Portal [www.jktenders.gov.in](http://www.jktenders.gov.in) before **01.10.2014 upto 1600 hours**.

The tenders (technical bids only) **will be opened online on 03.10.2014** at 1100 hours at Police Headquarters Peerbagh, Airport Road Srinagar. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal [www.jktenders.gov.in](http://www.jktenders.gov.in).


  
AIG (Provision/Transport)  
For Director General of Police,  
02/09/14 J&K Srinagar.

Dated : 02.09.2014

No. Prov-II/Sec-19/2013-14/  
Copy to the:-

46916-28

1. Principal Secretary to Govt. Home Department J&K Srinagar
2. ADGP Armed, J&K Srinagar for information.
3. All IsGP J&K Police for information.
4. Director Information J&K Srinagar. He will arrange publication of Gist of the NIT in National Dailies viz, The Hindu, Decan herald, Hindustan Times, Indian Express and in leading local Newspaper of J&K/Tender Journals etc. for wide publicity. The payment for publication in National Dailies shall be made by the PHQ against bills.
5. Director Industries Jammu/ Srinagar for information
6. Manager Government Press Srinagar/Jammu for publication in Govt Gazette.
7. SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Gandhi Marg New Delhi 110001 for information.
8. PRO to DGP J&K Srinagar for publication purpose. He will personally liaise with Directorate Information for publication of the NIT/Gist immediately and make available concerned Newspaper to AIG (Prov/Tpt) PHQ J&K.
9. In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar
- ✓ 10. In-Charge IT Centre PHQ for posting the NIT available on website of J&K Police.

  
AIG (Prov/Transport),  
For Director General of Police,  
J&K Srinagar.

02/09/14

e-NIT NO; **20** of 2014  
Dated; **02.09.2014**

**SBD**

1.	For and on behalf of the Governor J&K State, online tenders (e-tenders) are invited from original manufacturers and approved authorized dealers, for the supply of <b>Security items as specified in Annexure "A" of the NIT</b> . Approved/authorized dealers will attach valid & authenticated copy of authorisation of original manufacturer, <b>without which tender shall be liable to be rejected.</b>	
2.	The NIT Consisting of Complete information, eligibility criteria, specification, Bill of quantities, (B.O.Q), Set of terms and conditions of contract and other details can be seen/ downloaded from J&K State e-Procurement Portal <a href="http://www.jktenders.gov.in">www.jktenders.gov.in</a> from <b>02.09.2014</b> from 1500 Hrs and last date of online submission is <b>01.10.2014 (1600 hours)</b>	
3.	Time/date and place for online opening of tenders.	<b>01.10.2014 at 1100 hours</b> at J&K Police Hqrs. Peerbagh, Airport road Srinagar
	Validity of tender offer	240 days from the last date of submission of tenders
4.	The intending bidders will have to attend <b>Pre-bid conference</b> to be held at Police Hqrs, Peerbagh, Airport Road, Srinagar on <b>20.09.2014</b> . Bidders shall submit their queries etc at-least 02 days in advance before Pre bid conference. In the Pre bid conference they will be given full opportunity to put their view point regarding specifications etc mentioned in the e-NIT. However, any query etc raised by any bidder after Pre-bid conference will not be entertained.	
5.	All tender documents attached with this invitation to tender including the specifications are SACROSANCT for considering any offer as complete offer. It is therefore important that scanned copy of each page of the TENDER DOCUMENT DULY completed and signed IS RETURNED WITH YOUR OFFER	
6.	<b>The tender fee</b> has been fixed at <b>Rs 2000/-</b> which shall accompany the tender offer only, in the shape of a <b><u>crossed demand draft</u></b> favouring Chief Accounts Officer PHQ, J&K payable at Srinagar/Jammu. The tender fee is not refundable and the same will be deposited into Govt. Treasury under Head 0055-Police for the year 2013-14. The Scan copy of the draft should be part of the online Bid and the original be sent by post to the ADGP (Hqrs) c/o Director General of Police J&K Peerbagh, Airport Road Srinagar along with covering letter in an envelope should have a card affixed to it duly signed and stamped by the firm indicating (i) Name of the firm (ii) Tender No. (iii) Date of opening of tender The local SSI units are required to pay the tender fee prescribed as per J&K Govt rules which is presently Rs.100/-. However, the Govt/Semi-	

	Govt. concerns of the J&K State claiming exemption shall append authenticated orders, certificates etc. issued by competent authority in support of their claim. <b>Tenders without tender fee are liable to be rejected.</b>
7.	<p><b>Earnest Money Deposit (EMD)</b></p> <p>The intending tenderer/s will have to send the Earnest Money only in shape of CDR/FDR from any nationalized/schedule bank equivalent to 2.00 lacs (or 5% of the value of the items against which the tender is quoted) pledged to AIG (Prov/Tpt) PHQ J&amp;K with the tender offer, which shall be valid for one year. There is no need of furnishing EMD separately for each individual item. The earnest money in the case of unsuccessful tenderer/s shall be released after finalization of Tender, where-as in the case of successful tenderers it will be adjusted towards the security money (required to be deposited) on application, for due performance of the agreed contract/performance during the warranty period; No interest shall be payable by purchaser on the EMD deposited by the tenderer). The Scan copy of the draft should be part of the online Bid and the original be sent by post to the ADG (Hqrs) c/o Director General of Police J&amp;K Peerbagh, Airport Road Srinagar along the tender fee.</p> <p>J&amp;K Govt. rules with regard to furnishing of <b>EMD</b> in respect of <b>local Registered SSI</b> units shall be applicable in letter and spirit. The local SSI units are required to pay the <b>EMD</b> prescribed as per J&amp;K Govt rules which at present is 5% of the value of contract ( or items against which tender is quoted) or Rs 5000/- whichever is less. For the purpose, SSI units shall have to furnish registration certificate and Functional Certificate of SSI Unit, issued by the competent authority with their tender offer failing which the benefits of SSI units will not be allowed. The Government/ Semi Govt. or similar other concerns, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims.</p> <p><b>Tenders without EMD are liable to be rejected</b></p>
8.	<p><b>Security Deposit.</b> The approved tenderer will have to supply the item/s at the approved rate and as per approved sample (if any) and specification till the date of validity of the approved list. They will have to furnish <b>security deposit @ 5%</b> of the total value of the items contracted for, in the shape of CDR/FDR from a nationalized Bank at the time of signing of <b>Deed of Agreement</b> to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after the expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&amp;K Govt Rules for EMD in respect of LOCAL SSI Units shall be applicable.</p>
9.	Despatch Instructions; Stores are required to be delivered at Consignee's location (Srinagar/Jammu), at freight, risk and cost of the supplier.

10. Store required at; Free delivery at Consignee location.
11. Delivery required; Within two months from the date of confirmed order or as mentioned in the supply order.
12. The successful tenderer will have to arrange onsite installation and training to end users free of cost as and when asked for.
13. **Guarantee/Onsite Warranty ;**  
 The tenderers shall provide warranty for a minimum period of 02 years commencing from date of survey/installation and commissioning whatever applicable, covering all the systems, sub systems .The cost of warranty period will be included in the quoted price .If during the aforesaid period, the said stores be discovered not conforming to the description and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify the goods or such portion thereof as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on/an application made thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods rectified from the date of rectification thereof. In case of failure of the contractor to rectify or replace the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores.

14. **TWO BID SYSTEM;**  
 All bidders are required to submit their offers in two covers as under;-  
 (A) **FIRST COVER** (Technical Bid) is to be uploaded Online as Scan Copies in PDF format should contain the following;-

i.	Tender documents duly completed and signed <b>BUT WITHOUT INDICATING THE RATES QUOTED.</b>
ii.	Scan Copy of Earnest money.
iii.	Scan Copy of the Tender Fee
iv.	Technical specifications of the item quoted alongwith original catalogues (Make & Model).
v.	Delivery terms, delivery period quoted.
vi.	List of the orders received and executed during last two years giving reference of the order, value of order, Name of the agency/department alongwith performance certificate.
vii.	Registration certificate/Industrial Licence of original manufacturer, for the material quoted.
viii.	Certificate of being authorized dealer having authorization of the original manufacturer to quote against the tender.
ix.	Authorised Dealer having authorisation to quote against this tender, shall furnish his Registration Certification with Central/State Sales Tax department.
x.	A scan copy of this NIT duly signed & stamped on every page by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT.

xi.	Any other relevant document which the firms wish to submit.
A) <b>SECOND COVER</b> (Commercial/Price Bid) should contain the following;-	
i.	<p>Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted. For their own convenience, the tenderers may fill in the details initially offline and then upload the same so as to ensure accuracy. The rates quoted shall include the cost of all the components mentioned in this SBD.</p> <p><b>(Note)</b> J&amp;K Police does not issue Road Permits, Concessional Forms, state entry tax or Octroi etc exemption certificates, as such; Rate quoted shall be F.O.R Consignee.</p> <p>The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted</p> <ul style="list-style-type: none"> <li>❖ J&amp;K State entry tax rate currently is 13.5% extra. State Entry Tax shall be reimbursable on production of original documents by the successful bidder.</li> <li>❖ The rates of AMC inclusive of service tax (applicable after completion of warranty period) shall also be quoted separately.</li> </ul>
ii.	Rates quoted shall be final till the validity of contract with a provision of further extension if finally approved by State Level Purchase Committee for J&K Police Department.
iii.	<p>Firms shall clearly indicate different taxes, duties, charges which they propose to charge as per the format of Bill of Quantity (BOQ) available with the e-tender, However, <u>online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detailed financial comparative figures (BOQ Chart) shall be worked out by the purchasing department and will be uploaded on the website for general information of all the Tenderers.</u> Mere on line generated information either by design or default shall not confer any right of any nature what so ever, on any tenderer unless confirmed by Competent authority of the Deptt.</p>
15.	On due date of opening of tenders i.e. 03.10.2014 at 1100 hours, only technical bids shall be opened and the technical evaluation process will be carried out by the authorised committee. The technically qualified bidders will be informed online together with the date of opening of financial bids.
16.	The interested bidders should indicate the AMC cost, year wise beyond the period of comprehensive warranty in absolute terms i,e total amount, all inclusive, break up of applicable taxes to be given. Moreover in case of imported equipment or major components thereof if imported, the bidder must furnish a copy of 'Certificate of Import' together with a certificate from Principal Manufacturer of such equipment, components that the product's performance as stated above is tested in accredited lab and guaranteed with full support for service, maintenance etc be provided for at-least 05 years.
17.	If required the short listed tenderers will have to arrange for the Technical or field / Practical demonstration of the Equipment/s at their own cost at the place and date to be fixed by the Authority. The bids of such short listed bidders, who do not arrange / participate in the demonstration even after being asked by the purchaser, shall be liable for rejection.
18.	The approved supplier shall be deemed to have fully understood the

	conditions, specifications, size, patterns, make etc. of the article/s etc. to be supplied and in case of any doubt may seek clarification;
19.	The supplies delivered by the successful tenderers shall be surveyed and verified at our Stores i.e. Police Central Stores Jammu/Srinagar by the Survey Committee constituted for the purpose.
20.	The successful tenderer shall have to enter into an Agreement / deed on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.
21.	<b>Delivery/Liquidated Damages:</b> The successful tenderers shall arrange supplies within two months from the date of Purchase Order or else as mentioned in the supply order. Failure to supply the goods by due delivery date shall entail charging liquidated damages to be specified in the supply order.
22.	The successful tenderers shall have to ensure that he has not supplied the same product at the rates lower than offered to J&K Police. In case found so, the same rates will apply to J&K Police and the excess amount if any, paid to the firm shall be recovered from it in any manner to be decided by PHQ J&K.
23.	The approved supplier will be required to furnish an authenticated copy of latest Sales Tax/ VAT/ clearance certificates and PAN and VAT registration certificate. The PHQ shall be at liberty to put to scrutiny, verification etc. the Sales tax clearance so furnished by the successful tenderer
24.	Payment shall be released by the department against each consignment delivered in entirety, inspected, accepted and properly brought on stock in the concerned stock registers of the Department. In case the equipment is subject to installation by the Firm, then the payment shall follow after complete installation.
25.	Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement;
26.	As soon as the acceptance of the tender is communicated to the successful tenderers, the contract shall be binding on him. <b>EMD</b> of the tenderer who backs out or withdraws his tender or fails to abide by it, after acceptance thereof, is communicated/ posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of J&K under the law for the time being in force in the State of J&K;
	(a) If, after the registration/placement of orders/execution of the agreement and formally depositing the <b>security money</b> , the tenderer backs out or fails to supply the goods, the security deposit will be forfeited besides any other penal measures, the department may take as per norms in vogue;
	b) The formal deed incorporating the terms of the contract will be executed by the successful bidder immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the

	contract from being enforced against the bidder. Any loss sustained by the Govt. as a result of re-tendering the contract, shall be recovered from the defaulter, besides other penal measures as the department may think proper;
	c) Goods shall be delivered (as per instructions in supply order) at Police Central stores, duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;
	d) If, the successful bidder fails to supply goods of the prescribed specification or fails to deliver the goods within the stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by other possible means, at his risk and cost. The department may give prior notice to the approved supplier in writing to make supplies good. In case of failure to supply the consignment on specified qualitative & quantitative terms, the department shall be lawfully entitled to forfeit the amount of the security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging the supplies and other remedies that may be available to the department, under the law for the time being in force in the state.
27.	The supplier shall not sublet the contract or any part thereof to any other agency without the concurrence of PHQ J&K.
28.	The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved specifications they shall be rejected. The replacement of the rejected stores shall be allowed at the sole discretion of the department. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected equipment shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the consignee.
29.	The quantities indicated in the Tender Notification are tentative and this Headquarters reserves absolute rights to change the same without any prior notification upto the validity of rate contract of this NIT.
30.	The authorities reserve absolute discretion to reject or accept any tender or a part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the bid (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the Tender Notice including technical specification shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the tender conditions or instructions or the offer with insufficient particulars/documents, which is likely to render fair comparison of tender as a whole impossible shall lead to rejection even if otherwise, it is a

	competitive offer/tender.
31.	The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for one or the other reason.
32.	All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Jammu and Srinagar and not elsewhere;
33.	The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal <a href="http://www.jktenders.gov.in">www.jktenders.gov.in</a> . In case of any clarification, please contact Telephone Numbers 0194-2443032 (F), 2443031



AIG Provision/Tpt,

For Director General of Police,  
J&K-Srinagar.

02/2/14



**Annexure "A" of e-NIT No 20 of 2014 dated 02.09.2014**

Item. 1	DFMD (Portable)	Qty
S.No	Technical Specifications	50
1.	DFMD should be of robust quality, with standard material, properly finished, sleek & durable without any sharp edges and should be elegant looking.	
2.	Power supply AC 110 to 240 Volts on AC, with automatic switch to DC mode (in case of power failure). Minimum operability on DC (rechargeable batteries) for 06 hours is desirable.	
3.	Pre- programmed 09 sensitivity levels, selectable by a single selector switch with low, high, optimum security levels.	
4.	Should detect ferrous and non ferrous materials and their alloys, ferrite rods and all materials concealed in ferrite rods at slow speed from one side to other side of the frame.	
5.	Should be able to work on both rechargeable as well as dry battery, with indication, showing status of battery.	
6.	PVC pipe frame should be, heavy duty PVC pipe (3 mm or better) and diameter not less than 60 mm. Elbow and socket should be of unbreakable material. Wires used should be less and of standard quality.	
7.	Two or more DFMDs, in close vicinity (at a distance of 3 feet or less) should operate at same time without causing any interference to each other.	
8.	Counter for automatic scanning.	
9.	Membrane touch (water proof) switch, and audio setting.	
10.	Audio alarm with adjustable volume. At-least three tones for different size of metals and different tones with colour LEDs indication. Separate LED indication for ferrite detection.	
11.	Operating temperature -10 to 45 Degrees Centigrade.	
12.	Should work in rainy season, inclement weather.	
13.	Operability (continuous) on rechargeable battery should be 10 hours or more.	
14.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.	
Item. 2	DFMD (Fixed)	Qty
S.No	Technical Specifications	10
1.	DFMD should be of robust quality, with standard material, properly finished, sleek & durable without any sharp edges and should be elegant looking. Should be made of unbreakable Plastic or termite proof and seasoned/ treated	

	high quality wood, with in-built walk-stop (LED display) indicator.	
2.	Power supply AC 110 to 240 Volts on AC, with automatic switch to DC mode (in case of power failure). Minimum operability on DC (rechargeable batteries) for 06 hours is desirable.	
3.	Pre- programmed 09 sensitivity levels, selectable by a single selector switch with low, high, optimum security levels.	
4.	Four tone audio signals for small metal, medium metal, heavy metal and different tone for ferrite presence.	
5.	Should detect ferrous, non ferrous metals and their alloys, ferrite rods and all metals concealed in ferrite rods on a person/object, at all speeds.	
6.	Should be able to work on both rechargeable as well as dry battery, with indication, showing status of battery.	
7.	Operating temperature -5 to 45 Degrees Centigrade.	
8.	Two or more DFMDs, in close vicinity (at a distance of 3 feet or less) should operate at same time without causing any interference to each other.	
9.	Sharp audio signals with visual indicator, preferably LED.	
10.	Separate LED for ferrite detection, LED bar graph for various size of metals.	
11.	Six digit counter for automatic counting i.e. IN, OUT and net IN	
12.	Operability (continuous) on Batteries for 08 hours, is desirable.	
13.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.	

Item. 3	X Ray Baggage Inspection System 100x100cm		Qty
S.No	Technical Specifications		03
1.	Tunnel Dimension	1000 mm (W)x 1000mm(H)	
2.	Penetration	27mm steel Guaranteed and 29 mm typical	
3.	Conveyer height	346 mm	
4.	Conveyer speed	0.20m/sec	
5.	Pulling weight	Conveyor Max. load 165 kgs.	
6.	X-ray generator voltage rating	160 kv	
7.	Resolution	38 AWG guaranteed, 40 AWG typical	
8.	Threat image projection	Required	
9.	Power	90-260 Volts on AC	
10.	Auto sensing	Yes	
11.	Warm up time	Less than 5 minutes	
12.	X-ray tube shielded tank	Yes	
13.	Dose rate per exam	0.22 milli Rontgens is desirable	
14.	Monitor LCD	24" is desirable	
15.	Warranty of Generator	05 years	

16.	Maximum leakage radiation should be less than	0.1mR/hr	
17.	Zooming	Up to 64x	
18.	Previous image viewing/baggage counter/date and time display	Yes	
19.	UPS Power supply	Require, minimum backup 01 hour	
20.	Colour stripping	Organic and inorganic	
21.	X-ray system should meet	International health and safety regulations and AERB certified	
22.	Reversible conveyor direction	Required	
23.	Further Up gradation facilities in software	Required	

### General Features

1.	Operating temperature -5 to 45 degrees centigrade
2.	Operating (non-condensing) humidity of 80% or better
3.	Bi-directional scanning or better
4.	Self diagnosing & error reporting, upon start-up and in operation
5.	Density alert with display (adjustable)
6.	Automatic Baggage counter is desirable
7.	Image detection facility (user defined) and archiving
8.	Should be sleek, modular and durable. Should have proper finish, without any sharp edges and should be compact and elegant looking
9.	Electrical safety features, emergency stops etc with indicator lamps/ audio tone

Item. 4	Hand Held Metal Detector (HHMD)	Qty
S.No	Technical Specifications	50
1.	HHMD should be of robust quality, sleek with durable material, properly finished, with advanced technology, superlative performance and reliability.	
2.	Should be able to detect ferrous, non ferrous their alloys and ferrite hidden objects.	
3.	Ultrahigh sensitivity, low field strength with sound detection alarm.	
4.	Indicators buzzer and vibration mode.	
5.	Should have no effect on pace makers, magnetic tapes etc.	
6.	Nickel Cadmium (or better) rechargeable battery with low battery indication.	
7.	Sensitivity selection low, Normal, High and ultra high. It should test a piece of 0.1 gm from a distance of 25mm and a Razor Knife (plastic handle) from a distance of 30mm (or better).	
8.	Reverse polarity/ short circuit protection.	
9.	Continuous operation upto 24 hours and low power consumption is desirable.	
10.	Operating temperature -10 to 45 Degrees Centigrade.	

11.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.		
-----	---	--	--

12.	Safety	It should be safe to handle light weight, sleek, modular would be preferred	
	Detection	Paper Pin 1 inch or better pistol 0.22 6 inch or better, sim card ¼ inch or better, one rupee coin 2 inch or better, razor blade 1 inch or better.	

Item. 5	Extension Mirror	Qty
	<b>Technical Specifications</b>	<b>30</b>
1.	Light weight and easy to use, Modular, durable & sleek designed.	
2.	Maintenance free	
3.	Easy to operate	
4.	Adjustable torch mounting	
5.	Should be adjustable with arm rest	
6.	Telescopic extendable pipe system with locking facility	
7.	Convex mirror of 9"x5" to maximise the field of vision.	
8.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.	

Item. 6	Deep Search Metal Detector	Qty
	<b>Technical Specifications</b>	<b>10</b>
1.	Should be compact, sleek, robust, durable and ergonomically designed;	
2.	Should be easy and flexible to use;	
3.	Should be easy to assemble (setup) and disassemble;	
4.	Should be operable in all weather conditions;	
5.	Ideal weight of the complete equipment should be around 4 kgs.;	
6.	The equipment should have facility to show battery status with low battery indication/ tone;	
7.	The (search coil) unit should be able to work in water, water bodies etc., minimum of 06 hours;	
8.	Should have variable sensitivity options, audio-alarm with adjustable volume;	
9.	Discriminatory Audio Tone for higher metal contents;	
10.	Should have all terrain (Ground soil compensation for mineralized and normal soil) compensation;	
11.	Should detect all metals (ferrous and non-ferrous) and alloys;	
12.	Stick type (coated on tip) probe for use in dense and difficult terrain;	
13.	Continuous operation (on batteries) for 10 hours is desirable;	
14.	Detection upto 6 feet depth is desirable;	
15.	Built in speaker with discriminatory audio tone for pin pointing the metal target and variable volume control with head phone option	
	Discriminatory audio tone for higher metal content	
	LCD display (visibility in day light is required)	
16.	0.15 gm metal	1 inch x 1 inch tin foil
	50 mm nail	Thickness 03 mm and dia of head 06

		mm	
	Salty water	03 gm iodized common salt in 0.1 ltr of water	
	<b>The sensitivity of detector must meet the following specifications</b>		
	0.15 gm metal	15 cm	
	50 mm nail vertical	29 cm	
	50 mm nail horizontal	23 cm	
	<b>Under Ground</b>		
	0.15 gm metal	11 cm	
	50 mm nail vertical	27 cm	
	50 mm nail horizontal	17cm	
	<b>In clear water</b>		
	0.15 gm metal	11cm	
	50 mm nail vertical	28cm	
	50 mm nail horizontal	19cm	
	<b>In salty water</b>		
	0.15 gm metal	11cm	
	50 mm nail vertical	28cm	
	50 mm nail horizontal	19cm	
17.	Detector must have capability of pin pointing detected metal to $\pm 5$ cm range. The distance will be taken from the center of search head to the center of object. Detection tone should be distinct from the working tone. The instrument should be free from radio and static interference.		
18.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.		

Item. 7	Search Light	Qty
	Technical Specifications	230
1.	Operating range <b>200</b> meters, or better	
2.	LED Bulb, with high life	
3.	Should be water and impact resistant	
4.	Operation (on DC, rechargeable batteries) continuously for 6 hours, minimum, on different mode/ settings.	
5.	Variable timer/audio flashing	
6.	Protection against reverse polarity, short circuit, deep discharge and over charge	
7.	Ideal weight would be around 2 Kgs.	
8.	Carrying handle should be soft cushioned and a heavy duty strap (for carrying on shoulder) with shoulder pad shall be provided.	
9.	Operating temperature range -10 to 45 degrees centigrade	
10.	AC charging 110-240 volts.	
11.	Comprehensive Warranty (replacement, inclusive of batteries) for minimum of 02 years.	
Item. 8	Prodder	Qty
	Technical Specifications	30
	Approximate length	04 feet (1.10 to 1.50 meters)
1.	Tip	Sharp, coated with


		protective material	
2.	Handle	Soft, insulated	
3.	Material	Good quality Steel, rust proof	
4.	Should be strong enough to prod all kinds of soil, with sleek and modular design.		
5.	Ideal weight would be about 1.5 kg.		

Item. 09	Thermal Cutter	Qty
	<b>Technical Specifications</b>	<b>17</b>
1.	Should be compact, sleek, robust, durable and ergonomically designed;	
2.	Should be compact, sleek robust, durable and ergonomically designed	
3.	Should be easy and flexible to operate	
4.	Should be able to cut the plastic material of 5 mm (minimum) thickness and should be able to attain minimum heat of 500 degrees centigrade	
5.	The equipment should achieve its peak temperature in about 10 minutes	
6.	The cutter's depth should be 3 mm to 23 mm on "one off" or repeat basis or better	
7.	Should be positionable at 360°	
8.	The edges of the tool should be of high grade material with appropriate coating	
9.	The equipment should have elements in equilateral, triangular shape with at least 4" size of one side	
10.	The equipment should have modular stand design and a height of 6 inches or less	
11.	The cutter should have remote operation facility	
12.		

Item. 10	Drilling Machine	Qty
	<b>Technical Specifications</b>	<b>20</b>
1.	Should be compact, sleek, robust, durable and ergonomically designed	
2.	Should be easy and flexible to operate	
3.	Power supply: 230 Volt AC, single phase	
4.	Operation power :-2500 watt or more	
5.	Ideal weight should be around 10 Kgs	
6.	Should be able to drill through RCC slabs, concrete, stones, bricks and masonry blocks with drilling range (diameter) through 12 to 40 mm. Should be able to drill through, upto 2500 mm	
7.	Should be operable, continuously for 01 hour, minimum	
8.	It should be handheld, with proper handle and cushioned grip	

9.	Safety features, viz. auto stop and proper guards on movable parts are desirable	
----	--	--

Item. 11	Slab/Concrete Cutter	Qty
S.No	Technical Specifications	20
1.	Should be compact, sleek, robust, durable and ergonomically designed	
2.	Should be easy and flexible to operate	
3.	Power supply: 230V AC, Single phase	
4.	Operation power: 2300 watt or more	
5.	Ideal weight would be around 10 Kgs	
6.	Cutting wheel diameter: 300mm or better	
7.	Should have safety features, including safety guard on cutting wheel	
8.	Desirable cutting depth is 120mm or better. Should be operable , continuously for 01 hour minimum	
9.	Should be able to do dry cutting in RCC	
10.	Cutting wheel should be of robust (diamond quality) with coating to prevent damage	
11.	Should be able to cut through RCC slabs, concrete, stones, bricks and masonry blocks	
12.	All requisite accessories (to be shown separately) should be quoted to make it a complete solution	

  
 2/9.  
 For Director General of Police,  
 J&K-Srinagar.

02/09/14

Summarized details of e- NIT to be published on J&K Govt E- tendering Portal

1.	e-NIT No	<b>20 of 2014</b>
2.	NIT Description (Title)	<b>Security items</b>
3.	Tender value	<b>Rs.03.00 Crore</b>
4.	Bid validity days	<b>240 days</b>
5.	Calendar completion days	
6.	Location for delivery of items	<b>Police Central Store (s) Jammu / Srinagar</b>
7.	Pre- bid meeting (if any)	<b>Yes</b>
8.	Place of pre- bid meeting	<b>PHQ J&amp;K Srinagar</b>
9.	Date of pre- bid meeting	<b>20.09.2014</b>
10.	Tender fee ( Minimum)	<b>Rs.2000/-</b>
11.	EMD (Minimum)	<b>Rs.02.00 Lakh</b>
12.	Exemption allowed ?	<b>Yes /No</b>
13.	Bid download start date and time	<b>02.09.2014 at 1700 Hrs</b>
14.	Bid submission closing date and time	<b>01.10.2014</b>
15.	Bid opening date and time	<b>03.10.2014</b>



**APPENDIX-1**  
**FORMAT OF MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE**

To,

The Director General of Police,  
J&K, Jammu.

Subject;- \_\_\_\_\_

Sir,

Please refer to your tender enquiry (e-NIT No. \_\_\_\_\_ dated \_\_\_\_\_).

2. We \_\_\_\_\_ who are proven and reputable Manufacturers/dealers of \_\_\_\_\_ (name and description of the goods offered in the tender) having factories at \_\_\_\_\_ hereby authorize M/s \_\_\_\_\_ (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufactured by us.
3. We further confirm that no supplier or firm or individual other than M/s \_\_\_\_\_ (name and address of the above agent/dealer) is authorized to submit a tender, requirement as contained in the above referred tender enquiry documents for the above said goods manufacture by us.
4. We also hereby extend our full warranty, CMS, support as per the conditions of contract, read with modifications, if any, in the special conditions of contract for the goods and services offered for supply by the above firm against this TE document.

Yours faithfully,

Signature with date, name and designation  
For and on behalf of M/s \_\_\_\_\_  
(Name and address of the Manufacturers)

Note;-

1. This letter should be on the letter head of the manufacturing firm and should be signed by the person who is competent having the power of attorney.
2. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER

**APPENDIX-II**

**Performance statement for last two years**

Name of the firm	
Description of stores	
Quantity on order	
Value	
Original D.P	
Quantity supplied within original D.P	
Final Ext D.P	
Last supply position.	
Reasons for delay in supplies (if any)	

Signature of Tenderer

**APPENDIX-III**

**General instruction/CHECK LIST FOR TENDERERS;**

Before submission of tender documents, the tenderers should check whether they have complied with the following requirements of otherwise;-

S. No.	Requirement to be checked before submission of tender	Complied (Please indicate YES or NO after complying with the requirement.
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload the same after ensuring accuracy	
2.	Whether tender fee scan copy is enclosed, with the technical bid?	
3.	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical bid?	
4.	If an SSI Unit, the same is indicated in the tender and scan copy of valid registration certificate with installed capacity per month is enclosed or not?	
5.	Whether monthly manufacturing and supplying capacity is mentioned in the tender document or not?	
6.	Whether scanned copy of copy of complete tender documents are up-loaded in the technical bid duly signed having official seal on all pages or not?	
7.	Whether tender documents are submitted in two bid system i.e. Technical and Financial Bids separately as per tender enquiry or not?	
8.	If called for in tender enquiry, whether tender sample conforming to the specifications has been deposited with Central Store Jammu/Srinagar (as provided in tender enquiry)?	
9.	Whether offer validity as required in tender enquiry is accepted and indicated in your tender document or not?	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and indicated in your tender document or not?	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed with the supporting technical documents/proof, Lab test etc for each point/parameter or not?	
13.	Whether compliance statement for last 2 years as required in tender enquiry in the format is enclosed or not. If not, reason	

	thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
15.	Whether details of AMC condition after warranty period is included in the price bid or not, if required in the tender enquiry?	
16.	<p>(a) Status of tenderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.</p> <p>(b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&amp;D under compulsory enlistment scheme or not. Copy of valid DFS&amp;D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?</p>	
17.	If called for in T.E whether free training about use of equipment after supply, is accepted or not.	
18.	Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?	
19.	The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).	
20.	Entry Tax/Octroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.	
21.	Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.	
22.	No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as "Nil".	

S. No.	Sensitive Documents part of Technical bid	Non Sensitive Documents
1.	Valid registration certificate/industrial license of original manufacturer for the item quoted	Performance statement of two years
2.	Valid authorization letter of original manufacturer in case of approved dealer	Govt. Supply orders for same if any
3.	Valid registration certificate of approved dealer with central/state sales tax department for the items quoted	
4.	Test report, if required	
5.	Vat clearance	
6.	SSI unit -registration certificate	
7.	SSI unit -functional certificate	
8.	Scanned copies of EMD and Tender Fee	
9.	Scanned copy of NIT duly signed & sealed	
10.	Income tax clearance	

SIGNATURE OF THE TENDERER WITH SEAL